Slash® Modified
(Model 104354-74) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

3788A	**Ball bearing kit, Slash® VXL/Bandit® VXL/Stampede® VXL/Rustler® VXL with 272R Transmission (complete)**
3788R	**Ball bearing kit, stainless steel, Slash® VXL/Bandit® VXL/Stampede® VXL/Rustler® VXL with 272R™ Transmission (complete)**
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
10417	Body cage (front & rear, left & right) (fits #10411 or 10423 series bodies)
10414	Body cage, driver/ retainers (3) (fits #10411 or 10423 series bodies)
10410	Body completer kit (fits #10411 body)
10413	Body reinforcement set (front & rear) (fits #10411 or 10423 series bodies)
10415	Body reinforcement set, side (front, middle, rear) (left & right) (fits #10411 or 10423 series bodies)
10429	**Body spacer/ clip (for #10423 body)**
10428	**Body support, front/ mount (for #10423 body)**
10416	Body washers (2)/ roof washers (5)/ 3x10mm CCS (7) (fits #10411 or 10423 series bodies)
10423	**Body, Slash® Late Model (clear, untrimmed, requires painting)/ body interior/ decal sheets/ hardware (includes front & rear body latches and body support for clipless mounting)**
10426	**Body, Slash® Late Model (clear, untrimmed, requires painting)/ decal sheets**
10423-BLUE	**Body, Slash® Late Model, blue (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)**
10423-FOX	**Body, Slash® Late Model, Fox Edition (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)**
10423-GRN	**Body, Slash® Late Model, green (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)**
10423-PINK	**Body, Slash® Late Model, pink (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)**
10423X	**Body, Slash® Late Model, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheets**
10423-RED	**Body, Slash® Late Model, red (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)**
10411	**Body, Slash® Modified (clear, trimmed, requires painting)/ decal sheets**
10411-BLUE	Body, Slash® Modified, blue (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10411-GRN	Body, Slash® Modified, green (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10411-ORNG	Body, Slash® Modified, orange (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10411-PINK	Body, Slash® Modified, pink (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10411X	**Body, Slash® Modified, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheets**
10411-RED	Body, Slash® Modified, red (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
2514	**Decal sheet, racing sponsors**
10421	Decal sheets, Slash® Modified (2)
10425	**Interior, Slash® Late Model (black)/ decal sheet**
10419	Interior, Slash® Modified, black (painted)/ decal sheet
10412	Latch, body mount (front & rear)/ front body support (fits #10411 or 10423 series bodies)
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
10424	**Wing, Slash® Late Model/ mounts (left & right)**
10418	Wing, Slash® Modified (black)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
10430	**Battery hold-down (black)/ battery clip/ hold-down post/ screw pin (fits #5832-BLK, 5832-BLUE, 5832-DGRY or 5832-STGRY chassis)**
10430-SLGRY	Battery hold-down (slate gray)/ battery clip/ hold-down post/ screw pin (fits #5832-BLK, 5832-BLUE, 5832-DGRY or 5832-STGRY chassis)
10422	Body mounts (front & rear) (for clipless body mounting)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
10436	Bumper, front (upper (1), lower (1))
5836	Bumper, rear/ bumper mount, rear (black)
5836P	**Bumper, rear/ bumper mount, rear (pink)**
5832-BLK	**Chassis, low CG (black) (requires #5831-BLK, 5831-BLUE, 5831-DGRY or 5831-STGRY lower chassis)**
5832-BLUE	**Chassis, low CG (blue) (requires #5831-BLK, 5831-BLUE, 5831-DGRY or 5831-STGRY lower chassis)**
5832-DGRY	**Chassis, low CG (charcoal gray) (requires #5831-BLK, 5831-BLUE, 5831-DGRY or 5831-STGRY lower chassis)**
5832-STGRY	Chassis, low CG (steel gray) (requires #5831-BLK, 5831-BLUE, 5831-DGRY or 5831-STGRY lower chassis)
5831-BLK	**Lower chassis, low CG (black) (requires #5832-BLK, 5832-BLUE, 5832-DGRY, or 5832-STGRY chassis)**
5831-BLUE	**Lower chassis, low CG (blue) (requires #5832-BLK, 5832-BLUE, 5832-DGRY, or 5832-STGRY chassis)**
5831-DGRY	**Lower chassis, low CG (charcoal gray) (requires #5832-BLK, 5832-BLUE, 5832-DGRY, or 5832-STGRY chassis)**
5831-STGRY	Lower chassis, low CG (steel gray) (requires #5832-BLK, 5832-BLUE, 5832-DGRY or 5832-STGRY chassis)
5833	**Nerf bars, low CG (black)**
5833A	**Nerf bars, low CG (blue)**
5833G	**Nerf bars, low CG (grey)**
5833-SLGRY	Nerf bars, low CG (slate gray)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)

Differential Components

9480A	Differential assembly, center, complete (fits Pro Series Magnum 272R™ Transmission)
9482	Differential gasket/ x-rings (2)
9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
9483	Output gears, differential (2)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)

Driveline Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150	**Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9059X	**Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
9057X	**Differential output shafts, steel-splined constant-velocity (2)**
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)

6851A Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
9052X Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9055X Half shaft, external splined (steel-spline constant velocity) (1)
6750 Half shaft, external splined (steel-spline constant velocity) (1)
6751 Half shaft, internal splined (steel-spline constant velocity) (1)
9056X Half shaft, internal splined (steel-spline constant velocity) (1)
6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
9058X Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)
6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
6854A Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
3652 Stub axle carriers (2)
3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652A Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652T Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
6754 Stub axle, front, steel-splined constant velocity (1)
6753 Stub axle, rear, steel-splined constant velocity (1)
9053X Stub axle, rear, steel-splined constant velocity (1)
9042 Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)

Extreme HD Upgrade Kit

9150 Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9136 Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-BLUE Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-ORNG Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-RED Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9181 Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Slash® 2WD)
9181-BLUE Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Slash® 2WD)
9181-GRAY Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Slash® 2WD)
9181-GRN Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Slash® 2WD)
9181-ORNG Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Slash® 2WD)
9181-RED Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Slash® 2WD)
3638-BLK Shock tower, rear (black) (for clipless body mounting)
9137 Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-BLUE Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-ORNG Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-RED Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)

Front Suspension & Steering

3637 Axles (front) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
2530-BLK Bulkhead (front) (black)
2530-GRAY Bulkhead (front) (gray)
9136 Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-BLUE Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-ORNG Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-RED Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
6846 Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
5347 Rod ends, Revo® (large) with hollow balls (12)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
3639X-BLK Shock tower, front (black)
3639-SLGRY Shock tower, front (slate gray)
3743A Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743T Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9137 Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-BLUE Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-ORNG Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-RED Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)

6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
2754	Stub axle pins (4)
3631X	**Suspension arms, black, front, heavy duty (2)**
3631A	**Suspension arms, blue, front, heavy duty (2)**
3631G	**Suspension arms, green, front, heavy duty (2)**
3631T	**Suspension arms, orange, front, heavy duty (2)**
3631R	**Suspension arms, red, front, heavy duty (2)**
3631-SLGRY	Suspension arms, slate gray, front, heavy duty (2)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit®)
2532	Tie bar, fiberglass
1935	Turnbuckles, 36mm (2)
3139A	**Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G	**Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T	**Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P	**Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644-GRAY	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	**Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)**
3745-GRAY	Turnbuckles, toe link, 59mm (steel) (78mm center to center) (assembled with rod ends and hollow balls) (2)

Hardware

1926	**Antenna caps, vinyl (2)/ antenna spool**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	**Body clip (mounting clip), angled, 90-degrees (black) (10)**
4859	CS 3x10 flathead (hex drive)
1589	Double-sided adhesive tape (25mm x 25mm)
1633	E-clips/ C-rings
9488	**Hardware kit, Slash® VXL/Bandit® VXL/Stampede® VXL/Rustler® VXL (contains all hardware used on Slash® VXL, Bandit® VXL, Stampede® VXL, or Rustler® VXL with 272R Transmission)**
9488X	**Hardware kit, stainless steel, Slash® VXL/Bandit® VXL/Stampede® VXL/Rustler® VXL (contains all stainless steel hardware used on Slash® VXL, Bandit® VXL, Stampede® VXL, or Rustler® VXL with 272R Transmission)**
2745	Nuts, 3mm nylon locking (12)
1747P	**Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747	Nuts, 4mm nylon locking (10)
1747R	**Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G	**Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T	**Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A	**Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6) (use with #3744)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3967	Shoulder screws 3x10 (6) (without threadlock)
3642X	**Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
2754	Stub axle pins (4)
2746	**Washers, 3x6mm metal (12)**

Motors & Electronics

1926	Antenna caps, vinyl (2)/ antenna spool
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
3382	BL-2s® Brushless Power System, waterproof (includes BL-2s® ESC & BL-2s® 3300 motor)
3383	BL-2s® Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3340	**Cooling fan, electronic speed control, Velineon® VXL-3s, VXL-4s or BL-2s®**
3790	Gear adapter, fixed
2072A	**Gear set (for 2070, 2075 servos)**
2059	Gear set, metal (for 2057 servos)
2252	**Gear set, metal (for 2250, 2255 servos)**
2272	**Gear set, metal (for 2270 waterproof servo)**
3384	Motor, BL-2s® 3300, brushless
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074	**Servo case/gaskets (for 2056 and 2075 waterproof servos)**
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	**Servo, digital high-torque (ball bearing), waterproof**
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2270	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2057	Servo, metal gear, waterproof
3350R	**Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))**

Radio System, Batteries & Chargers

2827X	**3000mah 7.4v 2-Cell LiPo Battery**
2923X	**3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell**
2926X	**3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell**
2942X	**3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell**
2940X	**3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell**
2941X	**3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell**
2952X	**4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell**
2950X	**4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell**
2951X	**4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell**
2842X	**5000mah 7.4v 2-Cell 25C LiPo Battery**
2960X	**5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell**
2961X	**5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell**
2844R	**5200mAh 7.4v 2-cell 35C LiPo Battery**
2843X	**5800mah 7.4v 2-Cell 25C LiPo Battery**
2869X	**7600mah 7.4v 2-Cell 25C LiPo Battery**
2976	**AC to DC adapter**
2938X	**Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
2943	**Battery charge indicators, green (4), grey (4), blue (4)**
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	**Battery, Power Cell AA Alkaline (4)**
2983	**Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))**
2992	**Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))**
2970-2SR	**Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))**

2991	**Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))**
2985-2S	**Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))**
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
2969	**Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)**
2975	**Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
2972	**Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification**
2973	**Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**
2970	**Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981	**Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
2985	**Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification**
2982	**Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)**
6525	**Communication link, telemetry expander**
2971	**EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2978	**Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)**
2072A	Gear set (for 2070, 2075 servos)
2059	Gear set, metal (for 2057 servos)
2252	**Gear set, metal (for 2250, 2255 servos)**
2272	**Gear set, metal (for 2270 waterproof servo)**
2968X	**LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968	**LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6554X	**Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)**
6535	**Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
2912	**Power adapter, AC, USB-C (45W) (110 volt, North America only)**
2916	**Power cable, USB-C, 100W (high output), 5 ft. (1.5m)**
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533X	**Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)**
6552	**Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6520	**Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)**
6521	**Sensor, temperature and voltage (long)**
2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074	**Servo case/gaskets (for 2056 and 2075 waterproof servos)**
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	**Servo, digital high-torque (ball bearing), waterproof**
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2057	Servo, metal gear, waterproof
6553X	**Telemetry Expander 2.0 and GPS module 2.0, TQi radio system**
6550X	**Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X	**Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6538	**Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**
6540	**Telemetry trigger magnet, 5X2mm (1)**
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511	**Traxxas® Link Bluetooth® module**
6537	**Wire retainers, gear cover/ 3x4mm BCS (2)**

Ready-To-Race Model

104354-74	Slash® Modified: 1/10-Scale 2WD Oval Racer with TQ™ 2.4GHz radio system

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY	**Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRN	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
3638-BLK	**Shock tower, rear (black) (for clipless body mounting)**
3638X-SLGRY	Shock tower, rear (slate gray) (fits Bandit® series)
3652	**Stub axle carriers (2)**
3652G	**Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3652A	**Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3652T	**Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)**
3652P	**Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652X	**Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2555X	**Suspension arms, black, rear, heavy duty (2)**
2555A	**Suspension arms, blue, rear, heavy duty (2)**
2555G	**Suspension arms, green, rear, heavy duty (2)**
2555T	**Suspension arms, orange, rear, heavy duty (2)**
2555R	**Suspension arms, red, rear, heavy duty (2)**
2555-SLGRY	Suspension arms, slate gray, rear, heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit®)
3644-GRAY	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)

Shock Oil

5031	**Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032	**Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033	**Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	**Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036	**Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037	**Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029	**Shock oil bottle (60cc) (for mixing shock oil)**
5038X	**Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038	**Spinning carousel rack**

Shocks (GTR)

7466-PINK	**Body, GTR long (pink-anodized, PTFE-coated aluminum) (1)**
7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G	**Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)**
7467-PINK	**Body, GTR xx-long (pink-anodized, PTFE-coated aluminum) (1)**
7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467A	**Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)**
7467R	**Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)**
7468X	**Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)

5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469	Rod ends (GTR shocks)
7464T	Shaft, GTR long, TiN-coated (2)
7465T	Shaft, GTR xx-long, TiN-coated (2)
8456	**Shock caps, GTR, aluminum (black-anodized), Fox® shocks (4)**
8457	**Shock caps, GTR, aluminum (blue-anodized), King® shocks (4)**
8465	**Shock caps, GTR, aluminum (orange-anodized), Fox® shocks (4)**
7461	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461-ORNG	**Shocks, GTR long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-PINK	**Shocks, GTR long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-RED	**Shocks, GTR long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461X	**Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7462-GRAY	**Shocks, GTR xx-long (gray) (assembled) (2) (without springs)**
7462	Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-ORNG	**Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-PINK	**Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-RED	**Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462X	**Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
8459	**Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)**
5427	**Spring, shock (GTR) (front 0.7 yellow) (1 pair)**
5428	**Spring, shock (GTR) (front) (0.9 rate orange) (1 pair)**
5432	**Spring, shock (GTR) (front) (1.3 rate gold) (1 pair)**
5429	**Spring, shock (GTR) (rear) (1.0 rate tan) (1 pair)**
5431	**Spring, shock (GTR) (rear) (1.2 rate silver) (1 pair)**
5430	**Spring, shock (GTR) (std. front) (1.1 rate green) (1 pair)**
5433	**Spring, shock (GTR) (std. rear) (1.4 rate pink) (1 pair)**
5940	**Spring, shock (red) (GTR) (1.8 rate double green stripe) (1 pair)**
5941	**Spring, shock (red) (GTR) (2.0 rate double black stripe)(1 pair)**
5942	**Spring, shock (red) (GTR) (2.3 rate double purple stripe) (1 pair)**
5434	Spring, shock (white) (GTR) (1.6 rate blue) (1 pair)

Slipper Clutch Components

9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
5552A	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

9491	**Gear adapter set, fixed (48-pitch)**
2416	**Gear, 16-T pinion (48-pitch) / set screw**
1918	**Gear, 18-T pinion (48-pitch) / set screw**
2419	**Gear, 19-T pinion (48-pitch) / set screw**
2422	**Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw**
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2426	**Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
4728	**Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
2429	**Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
2431	**Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
4725	**Gear, pinion (25-tooth) (48-pitch) / set screw**
4676	**Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)**
4683	**Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)**
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	**Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)**

Steering Components

6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
3967	Shoulder screws 3x10 (6) (without threadlock)
3743A	**Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)**
3743G	**Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743T	**Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743P	**Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743X	**Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)**
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
1935	Turnbuckles, 36mm (2)
3139A	**Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G	**Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T	**Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P	**Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit®/ Stampede®)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit®)
3139A	**Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G	**Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T	**Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P	**Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	**Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)**
3745-GRAY	Turnbuckles, toe link, 59mm (steel) (78mm center to center) (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

9916	**Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)**
2514	**Decal sheet, racing sponsors**
9917	**Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)**
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909	**Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	**Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)**
1747P	**Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)

1747R	**Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G	**Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T	**Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A	**Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2754	Stub axle pins (4)
10473X	Tires & wheels, assembled, glued (dirt oval, graphite gray wheels, Hoosier® tires, foam inserts) (2) (2WD front only)
10474X	Tires & wheels, assembled, glued (dirt oval, graphite gray wheels, Hoosier® tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
10473R	**Tires & wheels, assembled, glued (dirt oval, graphite gray wheels, Hoosier® tires, molded foam inserts) (2) (2WD front only)**
10474R	**Tires & wheels, assembled, glued (dirt oval, graphite gray wheels, Hoosier® tires, molded foam inserts) (2) (4WD front/rear, 2WD rear only)**
10476	**Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner, Hoosier® tires, foam inserts) (2) (2WD front)**
10475	**Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner, Hoosier® tires, foam inserts) (2) (4WD front/rear, 2WD rear only)**
10470X	Tires, Hoosier® (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
10457-GRAY	**Wheel discs (gray) (4)**
10457-GRN	**Wheel discs (green) (4)**
10457-WHT	**Wheel discs (white) (4)**
10457-YLW	**Wheel discs (yellow) (4)**
1654	Wheel hubs, hex (2)/ stub axle pins (2)
1654X	**Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)**
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)
5853X	**Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)**
5353	**Wheel nuts, splined, 17mm (blue-anodized) (4)**
5480X	**Wheel wrench, splined, 17mm**
10471X	Wheels, dirt oval, graphite gray, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
10472X	Wheels, dirt oval, graphite gray, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)

Transmission Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9480A	Differential assembly, center, complete (fits Pro Series Magnum 272R™ Transmission)
9482	Differential gasket/ x-rings (2)
9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
9493	**Gearbox halves, left & right/ differential cover (charcoal gray)**
9493-SLGRY	Gearbox halves, left & right/ differential cover (slate gray)
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
9483	Output gears, differential (2)
9490	Plate, motor, 6061-T6 aluminum (blue-anodized) (3.2mm thick)
9490L	**Plate, motor, lightweight machined 6061-T6 aluminum (blue-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490X	**Plate, motor, lightweight machined 6061-T6 aluminum (blue-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490T	**Plate, motor, lightweight machined 6061-T6 aluminum (gray-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490G	**Plate, motor, lightweight machined 6061-T6 aluminum (green-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490A	**Plate, motor, lightweight machined 6061-T6 aluminum (orange-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490P	**Plate, motor, lightweight machined 6061-T6 aluminum (pink-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490R	**Plate, motor, lightweight machined 6061-T6 aluminum (red-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
5552A	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)
9464	Wheelie bar mount (heavy duty)

Traxxas Tools

3433X	**Body reamer (aluminum handle)**
3433	**Body reamer (plastic handle)**
3436	**Cap, body reamer**
3425	**Rubber pit mat, 16x24x0.28**
3426	**Rubber pit mat, 36x20**
3432	**Scissors, curved tip**
3431	**Scissors, straight tip**
8712	**Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720	**Speed bit handle, large (overmolded)**
8721	**Speed bit handle, medium (one piece)**
8722	**Speed bit handle, premium (rubber overmold)**
8710	**Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711	**Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719	**Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716	**Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X	**Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715	**Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3139A	**Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G	**Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T	**Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P	**Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644-GRAY	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	**Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)**
3745-GRAY	Turnbuckles, toe link, 59mm (steel) (78mm center to center) (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.com