Stampede® (Model 36254-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5116A	**Ball bearings, black rubber sealed (5x11x4mm) (2)**
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	**Antenna caps, vinyl (2)/ antenna spool**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3619R	**Body conversion kit, Stampede (includes front & rear body mounts, latches, hardware) (for clipless mounting)**
3620A-BLUE	**Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)**
3620-BLUE	**Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)**
3651G	**Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied)**
3620-GRN	**Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)**
3620A-GRN	**Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)**
3651T	**Body, Stampede® (also fits Stampede® VXL), orange (painted, decals applied)**
3620-PINK	**Body, Stampede® (also fits Stampede® VXL), pink (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)**
3620A-PINK	**Body, Stampede® (also fits Stampede® VXL), pink (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)**
3651P	**Body, Stampede® (also fits Stampede® VXL), purple (painted, decals applied)**
3651	**Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied)**
3620A-RED	**Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)**
3620-RED	**Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)**
3617	**Body, Stampede® (clear, requires painting) (requires #3614 to mount)/window, lights, grill decal sheet**
6729L	**Body, Stampede® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
3649	**Body, Stampede®, Hawaiian graphics (painted, decals applied)**
3651L	**Body, Stampede®, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
2514	**Decal sheet, racing sponsors**
3616	Decal sheets, Stampede®
3619X	Latch, body mount, front (1), rear (1)/ latch mounts, front & rear (left & right) (for clipless body mounting)
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
5185	**Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
4974	**Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677X	**Wheelie bar mount (1) / hardware (blue)**
3677A	**Wheelie bar mount (1) / hardware (green)**
3677P	**Wheelie bar mount (1) / hardware (pink)**
3677	**Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)**
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678X	**Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
3678A	**Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678T	**Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678P	**Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
3678R	**Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
4976	**Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
5186A	**Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186	**Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Chassis & Attachments

3698	Access plug, rubber (receiver box)
9463X	**Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463	**Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463G	**Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463A	**Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463P	**Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
3725X	**Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)**
3627X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
1834	Body Clips (12) (standard size)
3934	**Body clips, heavy duty (12)**
3614X	Body mounts, front & rear (for clipless body mounting)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2530-BLK	**Bulkhead (front) (black)**
2530-GRAY	Bulkhead (front) (gray)
2735	**Bumper (front)**
2735P	**Bumper (front) (pink)**
3635	Bumper, front/ bumper mount/ 4x12 CCS (2)/ 4x22 BCS (2)/ 3x12 BCS (2) (fits 2WD Stampede®) (for LED light kit installation)
3622X	**Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)**
3622R	Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)
3626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
3639	Shock tower (front)
3638R	Shock tower (rear) (for clipless body mounting)
9462X	**Side plates, wheelie bar, blue (aluminum) (2)**
9462	**Side plates, wheelie bar, charcoal gray (aluminum) (2)**
9462G	**Side plates, wheelie bar, green (aluminum) (2)**
9462A	**Side plates, wheelie bar, orange (aluminum) (2)**
9462P	**Side plates, wheelie bar, pink (aluminum) (2)**
9462R	**Side plates, wheelie bar, red (aluminum) (2)**
3623-BLK	Skid plates, front & rear (black)
3623-BLUE	**Skid plates, front & rear (blue)**
3623-GRN	**Skid plates, front & rear (green)**
3623-PINK	**Skid plates, front & rear (pink)**
5185	**Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
4974	**Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677X	**Wheelie bar mount (1) / hardware (blue)**
3677A	**Wheelie bar mount (1) / hardware (green)**
3677P	**Wheelie bar mount (1) / hardware (pink)**
3677	**Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)**
9464	**Wheelie bar mount (heavy duty)**
2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678X	**Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
3678A	**Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678T	**Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678P	**Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
3678R	**Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**

9460 **Wheelie bar, black (assembled)/ wheelie bar mount**
9460X **Wheelie bar, black chrome (assembled)/ wheelie bar mount**
4976 **Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
9461X **Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461T **Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461G **Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461A **Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461P **Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461R **Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461 **Wheels, wheelie bar, black (26mm (2), 18mm (2))**

Differential Components

2380 **Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)

Driveline Components

3637 Axles (front) (2)
5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
9150 **Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE **Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
6828A **Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)**
6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
1951R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)**
6751 **Half shaft, internal splined (steel-spline constant velocity) (1)**
6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
2754 Stub axle pins (4)
6753 **Stub axle, rear, steel-splined constant velocity (1)**
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)

Extreme HD Upgrade Kit

9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
9194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
9150 **Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE **Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9136 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-BLUE **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-ORNG **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-RED **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9180 **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Rustler® 2WD or Stampede® 2WD)**
9180-BLUE **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Rustler® 2WD or Stampede® 2WD)**
9180-GRAY Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Rustler® 2WD or Stampede® 2WD)
9180-GRN **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Rustler® 2WD or Stampede® 2WD)**
9180-ORNG **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Rustler® 2WD or Stampede® 2WD)**
9180-RED **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Rustler® 2WD or Stampede® 2WD)**
3638R Shock tower (rear) (for clipless body mounting)
9137 **Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-BLUE **Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN **Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG **Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED **Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9189 Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)

Front Suspension & Steering

2537 3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
3642 **Attachment screws, shock (3x12mm shoulder screws) (6)**
3637 Axles (front) (2)
5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
2530-BLK **Bulkhead (front) (black)**
2530-GRAY Bulkhead (front) (gray)
2545 Bushings (plastic) (5x8x2.5mm) (4)
9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
9136 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-BLUE **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)

9136-GRN	**Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-ORNG	**Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-RED	**Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
1844X	Servo saver with adapters/ 3x14mm BCS (1)
3639	Shock tower (front)
9137	**Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-BLUE	**Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN	**Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG	**Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED	**Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
3631	Suspension arms (front) (2)
3631X	**Suspension arms, black, front, heavy duty (2)**
3631A	**Suspension arms, blue, front, heavy duty (2)**
3631G	**Suspension arms, green, front, heavy duty (2)**
3631T	**Suspension arms, orange, front, heavy duty (2)**
3631R	**Suspension arms, red, front, heavy duty (2)**
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3740	**Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)**
2532	**Tie bar, fiberglass (requires suspension pins, part# 2640)**
9189	Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
3737A	**Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)**
3737	**Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)**
3741A	**Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
2336A	**Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3741G	**Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
3741T	**Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
3741P	**Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
3741X	**Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench**
2336X	**Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3644	**Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
3643	**Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**

Hardware

1926	**Antenna caps, vinyl (2)/ antenna spool**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body Clips (12) (standard size)
3934	**Body clips, heavy duty (12)**
3787	**Hardware kit, Bandit®/Stampede®/Rustler® (contains all hardware used on Bandit®, Stampede®, or Rustler®)**
2745	Nuts, 3mm nylon locking (12)
1747P	**Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	**Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G	**Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T	**Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A	**Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
3739	Screw pin set (Rustler®/ Bandit®/ Stampede®)
3965	Screws, 2.5x8mm cap-head machine (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2593	Screws, 3x14mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2754	Stub axle pins (4)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2746	**Washers, 3x6mm metal (12)**

LED Lights

3795	**LED light harness, rear (requires #2477 wheelie bar mount)**
3694	**LED light set, complete (includes front and rear bumpers with LED lights & BEC Y-harness) (fits 2WD Stampede®)**
2263	**Y-harness, BEC to LED light set**

Motors & Electronics

2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
3790	Gear adapter, fixed
2053	Gear set (for 2055, 2056 servos)
2072A	**Gear set (for 2070, 2075 servos)**
2252	**Gear set, metal (for 2250, 2255 servos)**
2272	**Gear set, metal (for 2270 waterproof servo)**
2287	**Gear set, metal (for 2280 servo)**
3785	Motor, Titan® 12T (12-Turn, 550 size)
3351R	**Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)**
3626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2271	**Servo case/ gaskets (for 2270 waterproof servo)**
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	**Servo, digital high-torque (ball bearing), waterproof**
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2280	**Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2270	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056	Servo, high-torque, waterproof (blue case)

3350R	**Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))**
3355R	**VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)**
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2922X	**3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell**
2827X	**3000mah 7.4v 2-Cell LiPo Battery**
2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
2926X	**3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell**
2942X	**3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell**
2940X	**3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell**
2941X	**3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell**
2952X	**4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell**
2950X	**4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell**
2951X	**4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell**
2842X	**5000mah 7.4v 2-Cell 25C LiPo Battery**
2960X	**5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell**
2961X	**5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell**
2844R	**5200mAh 7.4v 2-cell 35C LiPo Battery**
2843X	**5800mah 7.4v 2-Cell 25C LiPo Battery**
2869X	**7600mah 7.4v 2-Cell 25C LiPo Battery**
2976	**AC to DC adapter**
2938X	**Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	**Battery charge indicators, green (4), grey (4), blue (4)**
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	**Battery, Power Cell AA Alkaline (4)**
2983	**Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))**
2992	**Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))**
2970-2SR	**Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))**
2991	**Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))**
2985-2S	**Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))**
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
2969	**Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)**
2975	**Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
2972	**Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification**
2973	**Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**
2970	**Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981	**Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
2985	**Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification**
2982	Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
2971	**EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2978	**Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)**
2053	Gear set (for 2055, 2056 servos)
2072A	**Gear set (for 2070, 2075 servos)**
2272	**Gear set, metal (for 2270 waterproof servo)**
2968X	**LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968	**LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6557X	**Mount, telemetry expander (fits Stampede® 2WD)**
6535	**Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
2912	**Power adapter, AC, USB-C (45W) (110 volt, North America only)**
2916	**Power cable, USB-C, 100W (high output), 5 ft. (1.5m)**
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533X	**Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)**
6522	**Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4mm GS (1)**
6521	**Sensor, temperature and voltage (long)**
2271	**Servo case/ gaskets (for 2270 waterproof servo)**
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	**Servo, digital high-torque (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2270	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056	Servo, high-torque, waterproof (blue case)
6553X	**Telemetry Expander 2.0 and GPS module 2.0, TQi radio system**
6550X	**Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X	**Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6538	**Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**
6540	**Telemetry trigger magnet, 5X2mm (1)**
6509A	**TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)**
6507A	**TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)**
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511	**Traxxas® Link Bluetooth® module**
6537	**Wire retainers, gear cover/ 3x4mm BCS (2)**
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

36254-8	Stampede®: 1/10 Scale Monster Truck with TQ™ 2.4GHz radio system

Rear Suspension

5116	**Ball bearings, blue rubber sealed (5x11x4mm) (2)**
1675	Bushings, self-lubricating (5x11x4mm) (14)
9194	Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
9150	**Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
3638R	Shock tower (rear) (for clipless body mounting)
3655-BLK	**Suspension arms, black, front/rear (left & right), heavy duty (2)**
3655-BLUE	**Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655-GRN	**Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655X	Suspension arms, left & right
3655-ORNG	**Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655-RED	**Suspension arms, red, front/rear (left & right), heavy duty (2)**
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3640	**Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit®)**

Shock Oil

5031	**Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	**Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034	**Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035	**Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**

5036 **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037 **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029 **Shock oil bottle (60cc) (for mixing shock oil)**
5038X **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038 **Spinning carousel rack**

Shocks (Pro-level Aluminum)

5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660 **Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)**
2662 **Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 **Shock caps, aluminum (2) (Big Bore Shocks)**
2362 **Shock rebuild kit (for 2 shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
5860 **Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)**
5859 **Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)**

Shocks (Ultra Shocks)

3765A Body, Ultra Shock (long) (grey) (2)
3766A Body, Ultra Shock (XXL) (grey) (2)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 **Shock caps (2)/ shock bottoms (2)**
8361 Shock caps (black) (4) (assembled with hollow balls)
3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
3767T **Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)**
3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
2362 **Shock rebuild kit (for 2 shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
3642 **Shoulder screws, Ultra Shocks (3x12) (6)**
1765 Silicone diaphragms (4)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3758 **Springs (front) (2)**
3758T **Springs, blue (front) (2)**
3757T **Springs, blue (rear) (2)**
3758A **Springs, green (front) (2)**
3757A **Springs, green (rear) (2)**
3758P **Springs, pink (front) (2)**
3757P **Springs, pink (rear) (2)**
3757 **Springs, rear (black) (2)**
4957 **Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)**
3758X Springs, white (front) (2)
3757X Springs, white (rear) (2)
3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
3760A Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

3793 Input shaft (slipper shaft) / spring pin
5552A Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm caphead machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790 Gear adapter, fixed
2416 Gear, 16-T pinion (48-pitch) / set screw
1918 **Gear, 18-T pinion (48-pitch) / set screw**
2419 **Gear, 19-T pinion (48-pitch) / set screw**
2421 **Gear, 21-T pinion (48-pitch) / set screw**
2423 **Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
4725 **Gear, pinion (25-tooth) (48-pitch) / set screw**
4676 **Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)**
4683 **Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)**
4686 **Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2545 Bushings (plastic) (5x8x2.5mm) (4)
9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
2742 Rod ends, long (6)/ hollow ball connectors (6)
9189 Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
2336 **Turnbuckles, 78mm (2)**
2336A **Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
2336X **Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**

Suspension Linkage

9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
9194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
1942 **Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)**
2742 Rod ends, long (6)/ hollow ball connectors (6)
3642 **Shoulder screws, Ultra Shocks (3x12) (6)**
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
9189 Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
3737A **Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)**
3738A **Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)**
3737 **Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)**
3738 **Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)**
1937 **Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)**
2336 **Turnbuckles, 78mm (optional rear camber rods) (2)**
3741A **Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
2336A **Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3741G **Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**

3741T	**Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
3741P	**Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
3741X	**Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench**
2336X	**Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3644	**Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
3643	**Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
3645	**Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)**

Team Traxxas Items

9916	**Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)**
2514	**Decal sheet, racing sponsors**
9917	**Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)**
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909	**Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
5854	**Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)**
1747P	**Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	**Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G	**Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T	**Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A	**Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2754	Stub axle pins (4)
3689	**Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated)**
3668A	**Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (electric rear) (2) (TSM® rated)**
3669A	**Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)**
3668	**Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (electric rear) (2)**
3669	**Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)**
3773A	**Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)**
3773	**Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)**
3776A	**Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)**
5576R	**Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)**
6792	**Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)**
3778	**Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)**
3663-BLK	Tires & wheels, assembled, glued (black wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)
3665-BLK	Tires & wheels, assembled, glued (black wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
3663-BLUE	Tires & wheels, assembled, glued (blue wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)
3665-BLUE	Tires & wheels, assembled, glued (blue wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
3663X	**Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)**
3665X	**Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)**
3663-GRN	Tires & wheels, assembled, glued (green wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)
3665-GRN	Tires & wheels, assembled, glued (green wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
3663-RED	Tires & wheels, assembled, glued (red wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)
3665-RED	Tires & wheels, assembled, glued (red wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
3663	**Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)**
3665	**Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)**
5578	**Tires, Anaconda® 2.8" (2)/ foam inserts (2)**
1870	**Tires, Sledgehammer® terra-spiked (2)**
3671	Tires, Talon 2.8" (2)/ foam inserts (2)
1654X	**Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)**
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
1654R	**Wheel hubs, hex (steel) (2)/ axle pins (2)**
5853X	**Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)**
5353	**Wheel nuts, splined, 17mm (blue-anodized) (4)**
5480X	**Wheel wrench, splined, 17mm**
5576A	**Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)**
3672	**Wheels, chrome (2.2") (rear) (2)**
3673	**Wheels, chrome 2.2" (front) (2)**
3674	**Wheels, dyable nylon 2.2" (rear) (2)**
3675	**Wheels, dyeable nylon 2.2 (front) (2)**

Transmission Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
5478	**Flat wrench, 8mm (blue anodized aluminum)**
3790	Gear adapter, fixed
3691	**Gearbox halves (L&R) (black) w/ idler gear shaft**
3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft
5148	Grease, white lithium
9492	**Idler gear, 30-tooth/ idler gear shaft (steel)**
3696	Idler gear, steel (30-tooth)
9494	**Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)**
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
1552	**Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench**
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
5552A	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)

Traxxas Tools

3433X	**Body reamer (aluminum handle)**
3433	**Body reamer (plastic handle)**
3436	**Cap, body reamer**
3425	**Rubber pit mat, 16x24x0.28**
3426	**Rubber pit mat, 36x20**
3432	**Scissors, curved tip**
3431	**Scissors, straight tip**
8712	**Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720	**Speed bit handle, large (overmolded)**
8721	**Speed bit handle, medium (one piece)**
8722	**Speed bit handle, premium (rubber overmold)**

8710	**Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711	**Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719	**Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716	**Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X	**Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715	**Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

1942	**Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)**
5525R	**Rod ends, heavy duty (Jato®/Slayer) (8)**
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	**Rod ends, Revo® (large) with hollow balls (12)**
2742X	**Rod ends, short (6)/ hollow balls (6)**
3737A	**Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)**
3738A	**Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)**
3737	**Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)**
3738	**Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)**
1937	**Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)**
2336	**Turnbuckles, 78mm (optional rear camber rods) (2)**
3741A	**Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
2336A	**Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3741G	**Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
3741T	**Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
3741P	**Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
3741X	**Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench**
2336X	**Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3645	**Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)**