



Bandit® (Model 24054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)
1675	Bushings, self-lubricating (5x11x4mm) (14)
3775	Bushings, self-lubricating (5x8x2.5mm) (12)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body Clips (12) (standard size)
1815	Body washers (8)
6716	Body Washers, Foam, 2mm/3mm/4mm
2417	Body, Bandit (front & rear) (clear, requires painting)/ window, lights, grille decal sheet
2449	Body, Bandit, Hawaiian graphics (painted, decals applied)
2433	Body, Bandit, pink (painted, decals applied)
2420	Body, Bandit, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application)/ decal sheet
2448	Body, Bandit, Rock n' Roll (painted, decals applied)
2450	Body, Bandit® (also fits Bandit® VXL), black & red/ wing (painted, decals applied)
2450X	Body, Bandit® (also fits Bandit® VXL), green/ wing (painted, decals applied)
2450T	Body, Bandit® (also fits Bandit® VXL), orange/ wing (painted, decals applied)
2450L	Body, Bandit®, ProGraphix®/ wing (graphics are printed, requires paint & final color application)/ decal sheet
2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677X	Wheelie bar mount (1) / hardware (blue)
3677A	Wheelie bar mount (1) / hardware (green)
3677P	Wheelie bar mount (1) / hardware (pink)
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)
2414	Wing wire

Chassis & Attachments

9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463R	Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)
3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2735	Bumper (front)
2735P	Bumper (front) (pink)

3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)
3728	Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)
3722X	Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)(use only with #3725R ESC mounting plate)
3728A	Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)
3722R	Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9462X	Side plates, wheelie bar, blue (aluminum) (2)
9462	Side plates, wheelie bar, charcoal gray (aluminum) (2)
9462G	Side plates, wheelie bar, green (aluminum) (2)
9462A	Side plates, wheelie bar, orange (aluminum) (2)
9462P	Side plates, wheelie bar, pink (aluminum) (2)
9462R	Side plates, wheelie bar, red (aluminum) (2)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
3723	Upper chassis (black)
3729	Upper chassis (black)
3729A	Upper chassis (gray)
3723A	Upper chassis (grey)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677X	Wheelie bar mount (1) / hardware (blue)
3677A	Wheelie bar mount (1) / hardware (green)
3677P	Wheelie bar mount (1) / hardware (pink)
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
9464	Wheelie bar mount (heavy duty)
2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
9460	Wheelie bar, black (assembled)/ wheelie bar mount
9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))

Differential Components

2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
1647	Silicone Grease

Driveline Components

4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
9450	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
9450R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9451	Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®)
2751	Half-shaft pro-pack (internal-splined (6)/external (6)) (plastic shafts only)
1651	Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4)
3652	Stub axle carriers (2)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)
2753X	Stub axles, rear (2)

Front Suspension & Steering

2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (grey)
2545	Bushings (plastic) (5x8x2.5mm) (4)
2432	Caster blocks (left & right) (30-degree)
2437	Front axles (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3744	Servo saver w/ adapters
3639	Shock tower (front)
3636	Steering blocks (L&R)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636T	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2531X	Suspension arms (front) (2)
2531A	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531L	Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531G	Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531T	Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531R	Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
2532	Tie bar, fiberglass (requires suspension pins, part# 2640)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
4363	Ball screws (3x12mm) (lower shock attachment screws) (6)
1834	Body Clips (12) (standard size)
3934	Body clips, heavy duty (12)
3980	Glow plug wrench (Universal wrench)
1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3288	Screw, 3x15mm washerhead self-tapping (6)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2675	Screws, 3x10mm roundhead self-tapping (6)
2648	Screws, 3x12mm countersunk self-tapping (6)
2676	Screws, 3x12mm roundhead self-tapping (6)
3186	Screws, 3x12mm washerhead machine (6)
3286	Screws, 3x12mm washerhead self-tapping (6)
2649	Screws, 3x15mm countersunk self-tapping (6)
2563	Screws, 3x15mm roundhead machine (6)
3187	Screws, 3x15mm washerhead machine (6)
2566	Screws, 3x20mm roundhead machine (6)
2567	Screws, 3x23mm roundhead machine (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
2558	Screws, 3x6mm roundhead machine (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
3290	Screws, 3x8mm washerhead self-tapping (6)
2548	Screws, 4x12mm countersunk machine (100-degree) (6)
3167	Screws, 4x15mm countersunk machine (6)
2743	Set (grub) screws, 3mm hardened (12)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642	Shoulder screws, Ultra shocks (3x12) (6)
2754	Stub axle pins (4)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
2746	Washers, 3x6mm metal (12)
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)

LED Lights

3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)
3795	LED light harness, rear (requires #2477 wheelie bar mount)
3794	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)
2263	Y-harness, BEC to LED light set

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3790	Gear adapter, fixed
2053	Gear set (for 2055, 2056 servos)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench
1275	Motor, Stinger (20-turn, 540 size)
3785	Motor, Titan® 12T (12-Turn, 550 size)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)

Page 3 Bandit®: TQ™ 2.4GHz Radio (Model 24054-1) Parts List

2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2914	AA 4PK
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2984	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2053	Gear set (for 2055, 2056 servos)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6554X	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)

2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
6537	Wire retainers, gear cover/ 3x4mm BCS (2)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

24054-1 Bandit®: 1/10 Scale Off-Road Buggy with TQ™ 2.4GHz radio system

Rear Suspension

9450	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
3638	Shock tower (rear)
3652	Stub axle carriers (2)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
2750A	Suspension arms, black, rear (left & right), heavy duty (2)
2750X	Suspension arms, blue, rear (left & right), heavy duty (2)
2750G	Suspension arms, green, rear (left & right), heavy duty (2)
2750T	Suspension arms, orange, rear (left & right), heavy duty (2)
2750L	Suspension arms, red, rear (left & right), heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)

Page 4 Bandit®: TQ™ 2.4GHz Radio (Model 24054-1) Parts List

2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2765	Shock shafts, steel, chrome finish (x-long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860	Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

Shocks (Ultra Shocks)

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3765A	Body, Ultra Shock (long) (grey) (2)
3766A	Body, Ultra Shock (XXL) (grey) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T	Shock shafts, hardened steel, titanium nitride coated (x-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2765	Shock shafts, steel, chrome finish (x-long) (2)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2457	Spring, rear (black) (2)
2458P	Springs (front) (pink) (2)
2458A	Springs (front) (white) (2)
2457P	Springs, (rear) (pink) (2)
2458	Springs, front (black) (2)
2457A	Springs, rear (white) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790	Gear adapter, fixed
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw

4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2537	3mm threaded rods: 1 each of 20mm, 25mm & 44mm
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3744	Servo saver w/ adapters
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743	Steering bellcranks (l&r)/ draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Suspension Linkage

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
2441A	Camber link set for Bandit (grey) (plastic/ non-adjustable)
2441	Camber link set for Bandit® (plastic/ non-adjustable)
2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444T	Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443A	Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443T	Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)

Page 5 Bandit®: TQ™ 2.4GHz Radio (Model 24054-1) Parts List

- 2742X Rod ends, short (6)/ hollow balls (6)
- 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
- 3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
- 2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)
- 2640 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 2445X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445A Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445T Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445P Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445R Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 1935 Turnbuckles, 36mm (2)
- 2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

- 3775 Bushings, self-lubricating (5x8x2.5mm) (12)
- 2475 Front wheels(2)(Bandit)
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1477A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 2474 Rear wheels (2) (Bandit)
- 1647 Silicone Grease
- 3471 Street tread tires, 2.15"Pro-trax (f)(2)
- 2754 Stub axle pins (4)
- 1771 Tire, front 2.1" spike (2)
- 2470T Tires & wheels, assembled (2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)
- 2471T Tires & wheels, assembled (2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)
- 2479T Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)
- 2478T Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)
- 2470G Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)
- 2471G Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)
- 2479G Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)
- 2478G Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)

- 2471A Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)
- 2478A Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)
- 2470R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® 2.2" tires) (2) (Bandit rear, medium compound with foam inserts)
- 2471R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)
- 2479R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)
- 2478R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)
- 4740 Tires, 2.1" Pro-Trax ribbed (front) (2)
- 1770 Tires, 2.15 spiked (rear) (2)
- 2470 Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
- 2471 Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft compound)
- 2478 Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
- 2479 Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)
- 3470 Tires, street slicks (rear) (2)
- 2481A Wheels, 2.2" (black chrome) (2) (Bandit® front)
- 2480A Wheels, 2.2" (black chrome) (2) (Bandit® rear)
- 2481 Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® front)
- 2480 Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® rear)
- 2473A Wheels, Tracer 2.2" (black chrome) (2) (Bandit front)
- 2472A Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear)
- 2473 Wheels, Tracer 2.2" (chrome) (2) (Bandit front)
- 2472 Wheels, Tracer 2.2" (chrome) (2) (Bandit rear)

Transmission Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit)
- 5478 Flat wrench, 8mm (blue anodized aluminum)
- 3790 Gear adapter, fixed
- 3691 Gearbox halves (L&R) (black) w/ idler gear shaft
- 3691A Gearbox halves (L&R) (grey) w/ idler gear shaft
- 5148 Grease, white lithium
- 9492 Idler gear, 30-tooth/ idler gear shaft (steel)
- 3696 Idler gear, steel (30-tooth)
- 9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
- 3793 Input shaft (slipper shaft) / spring pin
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 1552 Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 9495 Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
- 1647 Silicone Grease
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 3195 Top drive gear, steel (22-tooth)
- 3695 Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)

Page 6 Bandit®: TQ™ 2.4GHz Radio (Model 24054-1) Parts List

8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive	2445T
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive	2445P
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive	1937
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive	1935
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive	2443
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive	2444
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive	2445
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive	
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)	
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)	

2445T	Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
1935	Turnbuckles, 36mm (2)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

Turnbuckles & Threaded Rods

2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444T	Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443A	Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443T	Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445A	Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)