



# Rustler® (Model 37054-61) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 3934 Body clips, heavy duty (12)**
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614 Body mounts (front & rear)**
- 1815 Body washers (8)
- 6716 Body Washers, Foam, 2mm/3mm/4mm**
- 3750X Body, Rustler® (also fits Rustler® VXL), blue (painted, decals applied)**
- 3750G Body, Rustler® (also fits Rustler® VXL), green (painted, decals applied)**
- 3750T Body, Rustler® (also fits Rustler® VXL), orange (painted, decals applied)**
- 3750 Body, Rustler® (also fits Rustler® VXL), red & black (painted, decals applied)**
- 3750R Body, Rustler® (also fits Rustler® VXL), red (painted, decals applied)**
- 3714 Body, Rustler® (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware**
- 3750L Body, Rustler®, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
- 2514 Decal sheet, racing sponsors
- 3716 Decal sheets, Rustler®
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)**
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677X Wheelie bar mount (1) / hardware (blue)**
- 3677A Wheelie bar mount (1) / hardware (green)**
- 3677P Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)**
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678P Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

## Chassis & Attachments

- 3725X Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler®, Bandit, Stampede®)**
- 3727 Battery hold-down plate (black)/ metal posts (2)/body clips (2)**
- 3727A Battery hold-down plate (gray) / metal posts (2) / body clips (2)
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 3735 Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)
- 3728 Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)**
- 3722X Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)(use only with #3725R ESC mounting plate)**
- 3728A Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)

- 3722R Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)**
- 3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 3723 Upper chassis (black)**
- 3729 Upper chassis (black)**
- 3729A Upper chassis (gray)
- 3723A Upper chassis (grey)**
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677X Wheelie bar mount (1) / hardware (blue)**
- 3677A Wheelie bar mount (1) / hardware (green)**
- 3677P Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)**
- 2477 Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678P Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 9460 Wheelie bar, black (assembled)/ wheelie bar mount**
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 9461X Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461G Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461A Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461P Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461R Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461X Wheels, wheelie bar, blue (2)**
- 9461G Wheels, wheelie bar, green (2)**
- 9461A Wheels, wheelie bar, orange (2)**
- 9461P Wheels, wheelie bar, pink (2)**
- 9461R Wheels, wheelie bar, red (2)**

## Differential Components

- 2380 Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)**
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
- 1647 Silicone Grease

## Driveline Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)**
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)**
- 1951R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)**
- 1953 Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**

**Page 2 Rustler®: TQ™ 2.4 GHz Radio (Model 37054-61) Parts List**

6752	Half shaft, external splined (steel-spline constant velocity) (1) (fits 2WD Rustler®/Stampede®)	3139	Turnbuckles (62mm) (front tie rods) (2)
6751	Half shaft, internal splined (steel-spline constant velocity) (1)	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)	3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)	3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)	3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)	3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)	3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
2754	Stub axle pins (4)	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
6753	Stub axle, rear, steel-splined constant velocity (1)	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2753X	Stub axles, rear (2)		
6853X	Stub axles, rear, heavy duty (2)/pins (2)		

**Front Suspension & Steering**

2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
3637	Axles (front) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (grey)
2545	Bushings (plastic) (5x8x2.5mm) (4)
1675	Bushings, self-lubricating (5x11x4mm) (14)
3632	Caster blocks (l&r) (30-degree)
3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632T	Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3744	Servo saver w/ adapters
3639	Shock tower (front)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636T	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
3631	Suspension arms (front) (2)
3631X	Suspension arms, black, front, heavy duty (2)
3631A	Suspension arms, blue, front, heavy duty (2)
3631G	Suspension arms, green, front, heavy duty (2)
3631T	Suspension arms, orange, front, heavy duty (2)
3631R	Suspension arms, red, front, heavy duty (2)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
2532	Tie bar, fiberglass
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)

3139	Turnbuckles (62mm) (front tie rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

**Hardware**

2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3642	Attachment screws, shock (3x12mm shoulder screws) (6)
1834	Body Clips (12) (standard size)
3934	Body clips, heavy duty (12)
2545	Bushings (plastic) (5x8x2.5mm) (4)
1589	Double-sided adhesive tape (25mm x 25mm)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2676	Screws, 3x12mm roundhead self-tapping (6)
3186	Screws, 3x12mm washerhead machine (6)
2649	Screws, 3x15mm countersunk self-tapping (6)
3187	Screws, 3x15mm washerhead machine (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
3290	Screws, 3x8mm washerhead self-tapping (6)
2548	Screws, 4x12mm countersunk machine (100-degree) (6)
3167	Screws, 4x15mm countersunk machine (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)

### Page 3 Rustler®: TQ™ 2.4 GHz Radio (Model 37054-61) Parts List

2754 Stub axle pins (4)  
3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)  
2746 Washers, 3x6mm metal (12)

#### LED Lights

3791 LED light bar, front (assembled) 3x8 BCS (2) / 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)  
3795 LED light harness, rear (requires #2477 wheelie bar mount)  
3794 LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)  
2263 Y-harness, BEC to LED light set

#### Motors & Electronics

1552 3x8mm Hex Cap Screws (6) / Washers (6) / Wrench (1)  
1726 Antenna, tube (1) / vinyl antenna cap (1) / wire retainer (1)  
2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)  
3790 Gear adapter, fixed  
2053 Gear set (for 2055, 2056 servos)  
2072A Gear set (for 2070, 2075 servos)  
2252 Gear set, metal (for 2250, 2255 servos)  
1275 Motor, Stinger (20-turn, 540 size)  
3785 Motor, Titan® 12T (12-Turn, 550 size)  
3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)  
3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)  
2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)  
2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)  
2251 Servo case, plastic (top, middle, bottom) / gaskets / hardware (for 2250, 2255 servos)  
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)  
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof  
2075 Servo, digital high-torque (ball bearing), waterproof  
2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof  
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof  
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof  
2056 Servo, high-torque, waterproof (blue case)  
3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))  
3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)  
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

#### Radio System, Batteries & Chargers

2842X 5000mah 7.4v 2-Cell 25C LiPo Battery  
2843X 5800mah 7.4v 2-Cell 25C LiPo Battery  
2869X 7600mah 7.4v 2-Cell 25C LiPo Battery  
2914 Battery, Power Cell AA Alkaline (4)  
2976 AC to DC adapter  
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)  
1726 Antenna, tube (1) / vinyl antenna cap (1) / wire retainer (1)  
2943 Battery charge indicators, green (4), grey (4), blue (4)  
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)  
2922X Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)  
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  
2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)  
2942X Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)  
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)  
2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)  
2952X Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)  
2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)  
2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  
2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)  
2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))  
2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))  
2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))  
2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)  
2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)

2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification  
2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification  
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification  
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification  
2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification  
6525 Communication link, telemetry expander  
2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)  
2053 Gear set (for 2055, 2056 servos)  
2072A Gear set (for 2070, 2075 servos)  
2252 Gear set, metal (for 2250, 2255 servos)  
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)  
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)  
6554X Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)  
6535 Mount, temperature sensor (electric motors) / wire tie/ thermal pad  
6519 Receiver, micro, TQ 2.4GHz (3-channel)  
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)  
6526 Sensor, auto-detectable, temperature  
6527 Sensor, auto-detectable, voltage  
6520 Sensor, RPM (long) / 3x4mm BCS (1) / 3x4 GS (1)  
6521 Sensor, temperature and voltage (long)  
2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)  
2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)  
2251 Servo case, plastic (top, middle, bottom) / gaskets / hardware (for 2250, 2255 servos)  
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)  
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof  
2075 Servo, digital high-torque (ball bearing), waterproof  
2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof  
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof  
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof  
2056 Servo, high-torque, waterproof (blue case)  
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system  
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)  
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)  
6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1) / 3x8mm CCS (3) / 3x10mm CCS (3)  
6540 Telemetry trigger magnet, 5X2mm (1)  
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)  
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)  
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)  
6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)  
6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)  
6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)  
6511 Traxxas® Link Bluetooth® module  
6537 Wire retainers, gear cover / 3x4mm BCS (2)  
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

#### Ready-To-Race Model

37054-61 Rustler®: 1/10 Scale Stadium Truck with TQ™ 2.4 GHz radio system and LED lights

#### Rear Suspension

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)  
1675 Bushings, self-lubricating (5x11x4mm) (14)  
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)  
3638 Shock tower (rear)  
3752 Stub axle carriers (2) (requires 5x11x4mm bearings)  
3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized) / 5x11mm ball bearings (4)  
3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized) / 5x11mm ball bearings (4)  
3652T Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized) / 5x11mm ball bearings (4)

- 3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2753X Stub axles, rear (2)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655X Suspension arms, left & right
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

### Shock Oil

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

### Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 5860 Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
- 5859 Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

### Shocks (Ultra Shocks)

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 3758 Springs (front) (2)

- 2458P Springs (front) (pink) (2)
- 2458A Springs (front) (white) (2)
- 3758T Springs, blue (front) (2)
- 3757T Springs, blue (rear) (2)
- 2458 Springs, front (black) (2)
- 3758A Springs, green (front) (2)
- 3757A Springs, green (rear) (2)
- 3757P Springs, pink (rear) (2)
- 3757 Springs, rear (black) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
- 3758R Springs, red (front) (2)
- 3758X Springs, white (front) (2)
- 3757X Springs, white (rear) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

### Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

### Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed
- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 4676 Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
- 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

### Steering Components

- 2537 3mm threaded rods: 1 each of 20mm, 25mm & 44mm
- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3744 Servo saver w/ adapters
- 3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
- 3743 Steering bellcranks (l&r)/ draglink
- 3743A Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743T Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743X Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 3139 Turnbuckles (62mm) (front tie rods) (2)
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

**Suspension Linkage**

- 2537 3mm threaded rods: 1 each of 20mm,25mm&44mm
- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3641A Camber link set (plastic/ non-adjustable ) ( front & rear) (grey)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
- 3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
- 2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 3139 Turnbuckles (62mm) (front tie rods) (2)
- 2336 Turnbuckles, 78mm (2)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

**Team Traxxas Items**

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

**Tires & Wheels**

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone Grease
- 2754 Stub axle pins (4)
- 3770A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM® rated)
- 3776 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (rear) (2) (TSM® rated)
- 3770 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2)
- 3771 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Ribbed tires, foam inserts) (front) (2)
- 6768X Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 6775X Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 3772X Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 3771X Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, ribbed tires, foam inserts) (electric front) (2)
- 3772R Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 3771R Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, ribbed tires, foam inserts) (electric front) (2)
- 6774X Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 6773X Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6768 Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 6775 Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6774 Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 6773 Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6768G Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 6775G Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6774G Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 6773G Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6768A Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 6775A Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6774A Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 6773A Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6774R Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
- 6773R Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)

**Page 6 Rustler®: TQ™ 2.4 GHz Radio (Model 37054-61) Parts List**

3771A	Tires & wheels, assembled, glued (2.8")(All-Star black chrome wheels, Ribbed tires, foam inserts) (electric front) (2)	8721	Speed bit handle, medium (one piece)
3773A	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)	8722	Speed bit handle, premium (rubber overmold)
3773	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
5569	Tires, Alias® 2.8" (2)/ foam inserts (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
5578	Tires, Anaconda® 2.8" (2)/ foam inserts (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
5563	Tires, Ribbed 2.8" (2)/ foam inserts (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
4790R	Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts		
1654	Wheel hubs, hex (2)/ stub axle pins (2)		
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)		
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)		
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)		
5480X	Wheel wrench, splined, 17mm		
3772A	Wheels, All-Star 2.8" (black chrome) (electric rear)		
5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)		
5576	Wheels, All-Star 2.8" (chrome) (nitro rear / electric front) (2)		
3772	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)		
3672	Wheels, chrome (2.2") (rear) (2)		
3673	Wheels, chrome 2.2" (front) (2)		
3674	Wheels, dyeable nylon 2.2" (rear) (2)		
3675	Wheels, dyeable nylon 2.2 (front) (2)		
3774	Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)		
5572	Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)		
6772	Wheels, RXT 2.8" (black) (2)		

**Transmission Components**

1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
5478	Flat wrench, 8mm (blue anodized aluminum)
3790	Gear adapter, fixed
3691	Gearbox halves (L&R) (black) w/ idler gear shaft
3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft
5148	Grease, white lithium
3696	Idler gear, steel (30-tooth)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
9495	Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647	Silicone Grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)

**Traxxas Tools**

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)

**Turnbuckles & Threaded Rods**

2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
3139	Turnbuckles (62mm) (front tie rods) (2)
2336	Turnbuckles, 78mm (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

**Page 7 Rustler®: TQ™ 2.4 GHz Radio (Model 37054-61) Parts List**

- 3644 Turnbuckles, camber link, 39mm (69mm center to center)  
(assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center)  
(assembled with rod ends and hollow balls) (1 left, 1 right)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2)  
(assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**