



# Nitro Rustler® (Model 44096-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Air Filters

- 5260 Air filter housing/ foam insert/ straight base/ angled base/ cable tie (1-each) (TRX 2.5, 2.5R, 3.3)
- 5261 Air filter inserts, foam (3) (pre-oiled) (TRX 2.5, 2.5R, 3.3)
- 5263 Oil, air filter

## Bearings & Bushings

- 4607 Ball bearings (5x11x4mm) (8)
- 2728 Ball bearings (5x8x2.5mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)**
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1685 PTFE-coated washers (5x11x.5mm) (use with self-lubricating bushings)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (2)/ hardware
- 1815 Body washers (8)
- 4412 Body, Nitro Rustler® (clear, requires painting)/window, grille, lights decal sheet/ wing and aluminum hardware**
- 4411R Body, Nitro Rustler®, ProGraphix® (Replacement for the painted body. Graphics are painted, requires paint & final color application.)window, grille, lights decal sheet/ wing and aluminum hardware
- 2514 Decal sheet, racing sponsors**
- 4413X Decal sheets, Nitro Rustler®
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)**
- 5512 Wing mounting hardware, (4x8mmCCS (aluminum)(3)/ 4x7mm flanged NL (3)

## Brake Components

- 4184 Brake brackets (inner & outer)
- 4185 Brake disc/ shaft-to-disc adapter
- 4484 Throttle & brake rods/ hardware (for slide carb)
- 4483 Throttle & brake rods/brake lever

## Chassis & Attachments

- 4460 Aluminum engine mounting set
- 3170X Battery holder, 4-cell / on-off switch
- 2735 Bumper (front)
- 2735P Bumper (front) (pink)**
- 4132 Bumper (rear)/ battery box/ body clips (2)
- 4432A Fuel tank box (holder)/ throttle servo mount (grey)
- 4434A Gearbox brace/ clutch guard (grey)
- 4430 Lower chassis,T-6 aluminum
- 4433A Mounting plate, receiver (grey)
- 4431A Upper chassis deck (grey), composite
- 4431 Upper chassis deck, composite**

## Clutch & Related Parts

- 4611 Ball bearings (5x11x4mm) (2)
- 2728 Ball bearings (5x8x2.5mm) (2)
- 4120 Clutch bell (20-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part 4611)
- 4122 Clutch bell (22-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part 4611)**
- 4146 Clutch shoes (2)/ spring (N. Rustler®/N.Sport/N.Stampede®)
- 3281 Cone, split beveled
- 1633 E-clips/ C-rings
- 4142 Flywheel (N. Rustler®/Sport/Stampede®/T-Maxx®/Revo®)
- 5244 Flywheel nut (TRX® 2.5 and 2.5R)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

## Differential Components

- 4181 Differential gear (45-tooth)/ side cover plate & screws
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 1647 Silicone grease

## Driveline Components

- 1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins/ e-clips (6)/ hardware**

- 1952T Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins/ e-clips (6)/ hardware**
- 1952 Carriers, stub axle (rear) (2)
- 1952A Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins/ e-clips (6)/ hardware**
- 4628 Differential output yokes (2)/ 3x5mm countersunk screws (2)/ 3mm set (set) screws (4)
- 4628X Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6852R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 1953 Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
- 6750 Half shaft, external splined (steel-spline constant velocity) (1)**
- 6751 Half shaft, internal splined (steel-spline constant velocity) (1)**
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
- 2754 Stub axle pins (4)
- 6753 Stub axle, rear, steel-splined constant velocity (1)**
- 2753X Stub axles, rear (2)

## Engine Components

- 5237 Cooling head, PowerTune (machined aluminum, blue-anodized) (TRX® 2.5 and 2.5R)/head protector, plastic (1)
- 3232X Glow plug, super-duty (long-medium)/gasket
- 5211R Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)
- 5277 Shaft, starter (TRX® 2.5 & 2.5R)
- 5170 Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)**

## Exhaust

- 3155 Cable ties, medium black (6)
- 5287 Header, blue-anodized aluminum (for rear exhaust engines only) (TRX® 2.5, 2.5R, 3.3)
- 5246 Pipe coupler, molded (for use with pipes 5152 (T-Maxx®) & 4452R) (TRX 2.5, 2.5R, 3.3)
- 4453 Pipe hanger
- 5296 Pressure fitting, 90-degree**
- 5142 Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
- 4452R Tuned pipe, assembled (N.Rustler®, N-4Tec®, N.Sport style) Requires coupler (#5246 for TRX® 2.5) or (4451 for Pro.15)
- 5541X Tuned pipe, Resonator, R.O.A.R. legal, blue-anodized (aluminum, single chamber) (fits Jato®, N. Rustler®, N. 4-Tec®, with TRX Racing Engines)**

## EZ Start 2 & Related parts

- 4579 Connector, wiring harness (EZ-Start and EZ-Start 2)
- 5280 Control box (complete) (EZ-Start 2)
- 5281 Control box battery cover w/ belt clip (EZ Start 2)
- 5273 Cush-drive elements (4) (EZ-Start 2)
- 5270R EZ-Start® 2, complete system with controller, drive unit, wiring harness
- 5276 Gear set (complete) (EZ-Start® 2)
- 5148 Grease, white lithium
- 5275 Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start® 2)
- 4581 Lead wire, glow plug (blue) (EZ-Start and EZ-Start 2)
- 4581X Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)**
- 5279 Motor/ pinion gear/ motor bushing (EZ-Start 2)
- 5211R Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 5282 Screws, 3x12mm button-head machine (6) (Starter attachment screws w/ threadlock)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 5277 Shaft, starter (TRX® 2.5 & 2.5R)

## Front Suspension & Steering

- 2536 Steering block & wheel spindles (l&r)
- 2728 Ball bearings (5x8x2.5mm) (2)
- 2530 Bulkhead (front) (black)**
- 2530A Bulkhead (front) (gray)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 2634R Caster blocks, (25-degree) (l&r)
- 2632R Caster blocks, (30-degree) (l&r)

## Page 2 Nitro Rustler®: TRX® 2.5, TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 44096-3) Parts List

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	3039	Battery holder, 4-cell (no on/off switch) (for Jato® and others that use a male Futaba style connector)
2742	Rod ends, long (6)/ hollow ball connectors (6)	2914	<b>Battery, Power Cell AA Alkaline (4)</b>
2742X	Rod ends, short (6)/ hollow balls (6)	3037	<b>Battery, RX Power Pack (5-cell hump style, NiMH, 1200mAh)</b>
3744	Servo saver w/adapters	2919	Battery, Series 1 Power Cell 1800mAh (NiMH, 6-C flat, 7.2V, Sub-C)
2075R	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>	2977	Charger, D/C, 2 amp (Molex) (5 - 6 cell, 6.0 - 7.2 volt, NiMH)
2070	<b>Servo, digital high-torque (ball bearing)</b>	2978	<b>Fuse, charger, 5A (2) (for #2974, 2975, 2977)</b>
2075	<b>Servo, digital high-torque (ball bearing), waterproof</b>	2053	Gear set (for 2055, 2056 servos)
2075X	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>	6536	<b>Mounts, RPM sensor (nitro engines)/ 3x10 CS with split and flat washers (2)</b>
2055	Servo, high-torque	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
2056	<b>Servo, high-torque, waterproof (blue case)</b>	6520	<b>Sensor, RPM (long)/ 3x4mm BCS (2)</b>
4439	Shock tower (front)	6521	<b>Sensor, temperature and voltage (long)</b>
2518	<b>Shock tower, fiberglass (front)</b>	2052	Servo case (for 2055 servo)
2531X	Suspension arms (front) (2)	2075R	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
2640	Suspension pins, 44mm (2) w/ E-clips	2070	<b>Servo, digital high-torque (ball bearing)</b>
2532	Tie bar, fiberglass	2075	<b>Servo, digital high-torque (ball bearing), waterproof</b>

### Fuel Tank & Line

3147	Fuel line (1 foot)
3147X	Fuel line (610mm or 2ft)
4449	Fuel tank cap (new style)/ seal/ screw/ spring and screw pin
4448	Fuel tank(75cc)/rubber vibration cushions
3149A	Heat shield tubing, fiberglass (2) (black)

### Fuel, Lubricants & Supplies

5001	Bottle, fuel filler (500cc)
3232X	Glow plug, super-duty (long-medium)/gasket
5148	Grease, white lithium
5263	Oil, air filter
5001R	Rebuild kit, fuel filler bottle (includes bottle lid (1) and dispensing tube caps, rubber (2) (fits 8mm or 5/16" dispensing tube))
5070	<b>Top Fuel®, 20% Nitro (gallon)</b>
5020	<b>Top Fuel®, 20% Nitro (quart)</b>
5080	<b>Top Fuel®, 33% nitro (gallon)</b>
5030	<b>Top Fuel®, 33% nitro (quart)</b>

### Hardware

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
1834	Body clips (12) (standard size)
3155	Cable ties, medium black (6)
1633	E-clips/ C-rings
5477	<b>Flat wrench, 5mm (blue anodized aluminum)</b>
5478	<b>Flat wrench, 8mm (blue anodized aluminum)</b>
3980	Glow plug wrench (Universal wrench)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
5475	<b>Multi-tool (plastic)</b>
1747P	<b>Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)</b>
3647	<b>Nuts, 4mm flanged nylon locking (steel, serrated) (8)</b>
1747	Nuts, 4mm nylon locking (10)
4147X	<b>Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)</b>
5147X	Nuts, 5mm flanged nylon locking (steel, serrated) (8)
1747R	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
1747G	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
1747T	<b>Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)</b>
1747A	<b>Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)</b>
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1942	<b>Rod ends (16 long &amp; 4 short)/ hollow ball connectors (18)/ ball screws (2)</b>
2742	Rod ends, long (6)/ hollow ball connectors (6)
2742X	Rod ends, short (6)/ hollow balls (6)
5169	Screws, 2.6x8mm countersunk machine (6)
2562	Screws, 2.6x8mm roundhead machine (6)
5282	Screws, 3x12mm button-head machine (6) (Starter attachment screws w/ threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
5149	Spacers, steel (Jato® twin-spoke wheels, front) (4)
2754	Stub axle pins (4)
4147	Wheel nuts, 5mm nylon locking (8)
5512	Wing mounting hardware, (4x8mmCCS (aluminum)(3)/ 4x7mm flanged NL (3)
2734	Zip Ties (small)

### Manuals

4499R	Owners Manual, Nitro Rustler®
-------	-------------------------------

### Radio System, Batteries & Chargers

3028	<b>Adapter, Molex to Traxxas receiver battery pack (for charging) (1)</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)

3039	Battery holder, 4-cell (no on/off switch) (for Jato® and others that use a male Futaba style connector)
2914	<b>Battery, Power Cell AA Alkaline (4)</b>
3037	<b>Battery, RX Power Pack (5-cell hump style, NiMH, 1200mAh)</b>
2919	Battery, Series 1 Power Cell 1800mAh (NiMH, 6-C flat, 7.2V, Sub-C)
2977	Charger, D/C, 2 amp (Molex) (5 - 6 cell, 6.0 - 7.2 volt, NiMH)
2978	<b>Fuse, charger, 5A (2) (for #2974, 2975, 2977)</b>
2053	Gear set (for 2055, 2056 servos)
6536	<b>Mounts, RPM sensor (nitro engines)/ 3x10 CS with split and flat washers (2)</b>
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6520	<b>Sensor, RPM (long)/ 3x4mm BCS (2)</b>
6521	<b>Sensor, temperature and voltage (long)</b>
2052	Servo case (for 2055 servo)
2075R	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
2070	<b>Servo, digital high-torque (ball bearing)</b>
2075	<b>Servo, digital high-torque (ball bearing), waterproof</b>
2075X	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>
2055	Servo, high-torque
2056	<b>Servo, high-torque, waterproof (blue case)</b>
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	<b>Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)</b>
6530	<b>Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)</b>
6511	<b>Traxxas Link Wireless Module</b>
3034	<b>Wiring harness for RX Power Pack, Traxxas nitro vehicles (includes on/off switch and charge jack)</b>

### Ready-To-Race Model

44096-3	Nitro Rustler®: 1/10-Scale Nitro-Powered 2WD Stadium Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
---------	--

### Rear Suspension

4192	Bulkhead (rear)
4192A	<b>Bulkhead (rear) (grey)</b>
1952X	<b>Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (left &amp; right)/ 3x32mm hinge pins/ e-clips (6)/ hardware</b>
1952T	<b>Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (left &amp; right)/ 3x32mm hinge pins/ e-clips (6)/ hardware</b>
1952	Carriers, stub axle (rear) (2)
1952A	<b>Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (left &amp; right)/ 3x32mm hinge pins/ e-clips (6)/ hardware</b>
2798	Mount, suspension arm (rear) (+/- 1-degree)(I&R)
2798X	<b>Mounts, susp arm, machined aluminum (R) (+/-1) degree</b>
2798A	<b>Mounts, suspension arm (rear) (+/- 1-degree) (I&amp;R) (gray)</b>
2797	<b>Mounts, suspension arm (rear) (0-degree) (left &amp; right)</b>
4138X	Shock Tower (rear)
2753X	Stub axles, rear (2)
2555	Suspension arms, (rear) (2)
2555X	<b>Suspension arms, black, rear, heavy duty (2)</b>
2555A	<b>Suspension arms, blue, rear, heavy duty (2)</b>
2555G	<b>Suspension arms, green, rear, heavy duty (2)</b>
2555T	<b>Suspension arms, orange, rear, heavy duty (2)</b>
2555R	<b>Suspension arms, red, rear, heavy duty (2)</b>
1934	Wedges, anti-squat (1.5 & 3.0 degree) (2 each)

### Shock Oil

5031	<b>Oil, shock (20 wt, 200 cSt, 60cc) (silicone)</b>
5032	<b>Oil, shock (30 wt, 350 cSt, 60cc) (silicone)</b>
5033	<b>Oil, shock (40 wt, 500 cSt, 60cc) (silicone)</b>
5034	<b>Oil, shock (50 wt, 600 cSt, 60cc) (silicone)</b>
5035	<b>Oil, shock (60 wt, 700 cSt, 60cc) (silicone)</b>
5036	<b>Oil, shock (70 wt, 900 cSt, 60cc) (silicone)</b>
5037	<b>Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)</b>
5029	<b>Shock oil bottle (60cc) (for mixing shock oil)</b>
5038X	<b>Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &amp; 80 wt premium shock oils with spinning carousel rack)</b>
5038	<b>Spinning carousel rack</b>

### Shocks (Pro-level Aluminum)

2664	<b>Big Bore shock cylinder (long) (1)</b>
2660	<b>Big-bore shocks (long) (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)</b>
2662	<b>Big-bore shocks (xx-long) (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)</b>
2669	<b>Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings &amp; washers (2) (Big Bore Shocks)</b>
1942	<b>Rod ends (16 long &amp; 4 short)/ hollow ball connectors (18)/ ball screws (2)</b>
2742X	Rod ends, short (6)/ hollow balls (6)

- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, Titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

**Shocks (Ultra Shocks)**

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TIN shafts and springs) (front & rear) (4)
- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 3767A Shock caps, aluminum (blue-anodized) (4) Fits all ultra shocks
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, Titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 2458P Springs (front) (pink) (2)
- 2458A Springs (front) (white) (2)
- 4457 Springs (rear) (2)
- 4457A Springs (rear) (white) (2)
- 2458 Springs, front (black) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

- 4685 Friction pegs, slipper (12)
- 4625 Pressure plate, slipper (1)
- 4622 Pressure rings, slipper (notched) (2)
- 4615 Slipper Clutch
- 4494 Slipper tension spring (high rate)/ spur gear bushing & locknut
- 1994 Slipper tension spring/ spur gear bushing & locknut
- 4493 Top drive gear (16-tooth)/ slipper shaft

**Spur Gears & Pinion Gears**

- 4470 Spur gear (70-Tooth) (32-Pitch) w/bushing
- 4472 Spur gear (72-Tooth) (32-pitch) w/bushing

**Steering Components**

- 2728 Ball bearings (5x8x2.5mm) (2)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 4438 Molded draglink w/ screws
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3744 Servo saver w/adapters
- 2055 Servo, high-torque
- 2543 Steering bellcranks (3) (plastic only)
- 1935 Turnbuckles, 36mm (2)

**Suspension Linkage**

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 1633 E-clips/ C-rings
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3744 Servo saver w/adapters
- 1939 Suspension Pin Set Hard Chrome
- 2739 Suspension Pin Set, Stainless steel. (W/E-Clips) (TRX®-1)
- 2636 Suspension pins, 26mm kingpins (2)w/ E-clips (5)
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 2639 Suspension pins, 48mm (2) w/ E-clips
- 1739 Suspension screw pin set
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 1935 Turnbuckles, 36mm (2)
- 2334 Turnbuckles, 50mm (2)

**Team Traxxas Items**

- 2514 Decal sheet, racing sponsors
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

**Throttle & Brake Linkage**

- 3182 Collars, screw (2)/ grub screws, 3mm (2)
- 3180 Guide, rod (2)/ nuts (2)
- 4182 Servo horn, throttle-brake/ shift (1)
- 3184 Spring, throttle (3)
- 4484 Throttle & brake rods/ hardware (for slide carb)
- 4483 Throttle & brake rods/brake lever

**Tires & Wheels**

- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1974 Lite-wheels, dished (2) (front) (for 2.2" tires)
- 1972 Lite-wheels, dished (2) (rear) (for 2.2" tires)
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 4147X Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)
- 5147X Nuts, 5mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 5149 Spacers, steel (Jato® twin-spoke wheels, front) (4)
- 2754 Stub axle pins (4)
- 5574R Tires & wheels, assembled, glued (2.8") (Jato® Twin-Spoke wheels, Alias® ribbed tires, foam inserts) (front) (2)
- 5572R Tires & wheels, assembled, glued (2.8") (Jato® Twin-Spoke wheels, Alias® tires, foam inserts) (rear) (2)
- 5577R Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (nitro front) (1 Left, 1 Right)
- 3777A Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro front) (1 left, 1 right)
- 3776A Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
- 5576R Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
- 5573 Tires & wheels, assembled, glued (Jato® twin-spoke wheels, Victory tires, foam inserts) (rear) (2)
- 5575 Tires & wheels, assembled, glued (Jato® twin-spoke wheels, Victory™ tires, foam inserts) (front) (2)
- 5569 Tires, Alias® 2.8" (2)/ foam inserts (2)
- 5578 Tires, Anaconda® 2.8" (2)/ foam inserts (2)
- 4791 Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
- 5563 Tires, Ribbed 2.8" (2)/ foam inserts (2)
- 1870 Tires, Sledgehammer® terra-spiked (2)
- 4790R Tires, Spiked 2.2 (R2) (Soft Compound) w/inserts
- 4172 TRX Pro-Star chrome wheels (2) (rear) (for 2.2" tires)
- 4174 TRX® Pro-Star chrome wheels (2) (front) (for 2.2" tires)
- 1654 Wheel hubs, hex (2)/ stub axle pins (2)
- 4147 Wheel nuts, 5mm nylon locking (8)
- 5577A Wheels, All-Star 2.8" (black chrome) (nitro front) (2)
- 5576A Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)
- 5576 Wheels, All-Star 2.8" (chrome) (nitro rear / electric front) (2)
- 5572 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)

### Transmission Components

4607	Ball bearings (5x11x4mm) (8)
4184	Brake brackets (inner & outer)
4185	Brake disc/ shaft-to-disc adapter
4192	Bulkhead (rear)
4181	Differential gear (45-tooth)/ side cover plate & screws
4434A	Gearbox brace/ clutch guard (grey)
4491A	Gearbox halves (grey) (left & right)
4196	Idler gear (20-tooth)/ idler gear shaft
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
1647	Silicone grease
4615	Slipper Clutch
4484	Throttle & brake rods/ hardware (for slide carb)
4493	Top drive gear (16-tooth)/ slipper shaft

### Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

### Turnbuckles & Threaded Rods

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
2742X	Rod ends, short (6)/ hollow balls (6)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
1935	Turnbuckles, 36mm (2)
2334	Turnbuckles, 50mm (2)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**