



1/16 E-Revo® VXL (Model 71076-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5124 **Ball bearings, blue rubber sealed (4x7x2.5mm) (2)**
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 5114 **Ball bearings, blue rubber shield (5x8x2.5mm) (2)**

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 4915 Body washers, foam adhesive (10)
- 6716 **Body Washers, Foam, 2mm/3mm/4mm**
- 7111 **Body, 1/16 E-Revo (clear, requires painting)/ grille and lights decal sheet**
- 2514 Decal sheet, racing sponsors
- 7113 Decal sheets, 1/16 E-Revo VXL
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 7121 Wing mount/ hardware (1/16 E-Revo)
- 7122 Wing, 1/16 E-Revo (black)/ decal sheet
- 7122G **Wing, 1/16 E-Revo (Exo-carbon finish)/ decal sheet**
- 7123 **Wing, 1/16 E-Revo (white)/ decal sheet**

Bumpers & Skidplates

- 7135 Bumpers, front (1)/ rear (1)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1) (black)/ Guards, steering servo (2) / cover plate, steering servo (1)

Chassis & Attachments

- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 7024X Box, receiver (sealed)/ wire cover/ foam pads, upper & lower/ silicone grease/ 2.5x8 CS (4)/ 3x4 GS (1)
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7029X Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7022 Chassis
- 7026 Door, battery compartment (1)/ vents, battery compartment (1 pair) (fits right or left side)
- 7185A **LED light kit, 1/16 E-Revo® (includes power supply, front & rear bumpers, light harness (4 clear, 4 red), wire ties)**
- 7186 **LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/ wire ties (3) (requires power supply #7286)**
- 7286A **LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap connector (with cable) 2.6x8 BCS (2)**
- 7025 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1) (black)/ Guards, steering servo (2) / cover plate, steering servo (1)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7184 **Wheelie bar, assembled**
- 7121 Wing mount/ hardware (1/16 E-Revo)

Differential Components

- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 7080 Cover plates, differential (front or rear)/ gaskets (2)/ o-rings (2)/ 2x14mm BCS (3)
- 7078 Differential assembly, complete
- 7014 **Differential kit, center (complete for 1/16 E-Revo, 1/16 Slash)**
- 7381 **Differential locker, (2)**
- 5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 7082 Gear set, differential (output gears (2)/ spider gears (3))/ differential output shafts (2)/ 1.5x6mm pin (3)/ 1.5x8mm pin (2)
- 5130 **Oil, differential (100K wt) (0.7 oz (20cc))**
- 5135 **Oil, differential (10K wt) (1.7 oz (50cc))**
- 5136 **Oil, differential (30K wt) (1.7 oz (50cc))**
- 5137 **Oil, differential (50K wt) (1.7 oz (50cc))**
- 7014X **Rebuild kit, center differential (1/16 E-Revo/Slash) (includes o-rings and diff gear covers)**
- 7079 Ring gear, differential/ pinion gear, differential

Driveline Components

- 7034 Axle carriers, left & right (2 each)
- 7052 **Drive cups, inner (2) 1/16 E-Revo/Slash (steel constant-velocity driveshafts)**
- 7151 Driveshaft assembly (1) left or right (fully assembled, ready to install)/ 3x10mm screw pin (1)
- 7151X **Driveshaft, 1/16 E-Revo (steel constant-velocity) (assembled) (4)**
- 7153 **Driveshaft, steel constant-velocity, 1/16 E-Revo (shaft only, 68mm)/ drive cup pin (1)**
- 7250R **Driveshafts, center (steel constant-velocity) front (1), rear (1) (fully assembled)**
- 7056 Half shafts, center front (1), center rear (1) (internal splined half shafts (2)/external splined half shaft (2))/ metal u-joints (4)
- 7150 Half shafts, left or right (internal splined half shaft (2)/external splined half shaft (2))/ metal u-joints (4)
- 7055 **Rebuild kit (for 1/16 E-Revo/Slash steel constant-velocity driveshafts) (includes pins, o-rings, stub axles for driveshafts assemblies)**
- 7054 Stub axle, steel (2)/ yokes (2) (assembled)
- 7154 Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
- 7154X **Wheel hubs, hex, aluminum (4) (blue-anodized)**
- 7057 Yokes, differential and transmission (2)/ 3x10mm screw pin (2)

Front Suspension

- 7033X **Aluminum caps, pivot ball (threaded aluminum, hard-anodized, PTFE-coated (8)/ hex wrench, 5mm**
- 7034 Axle carriers, left & right (2 each)
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7028 Hollow balls (20)
- 7028X **Hollow balls, steel (machined) (22)**
- 7033 Pivot balls (4)/ pivot ball caps (4)
- 7118G **Push rod (molded composite) (green) (4)/ hollow balls (8)**
- 7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
- 7118X **Push rods, aluminum (red-anodized) (4) (assembled with rod ends)**
- 7155 Rocker arm post, steel (4)
- 7158 Rocker arm set, progressive-2/ 4x7x2.5mm PB (8)
- 2523 Screws, 2.5x10 countersunk machine (hex drive) (6)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7131 Suspension arm set, front (includes upper right & left and lower right & left arms)
- 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)

Hardware

- 5124 **Ball bearings, blue rubber sealed (4x7x2.5mm) (2)**
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 5114 **Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
- 5123 Bellcrank bushings (plastic) (4x7x2.5mm) (4)
- 1834 Body Clips (12) (standard size)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 5150 E-clips, 1.5mm (24)
- 5477 Flat wrench, 5mm (blue anodized aluminum)
- 7028 Hollow balls (20)
- 7028X **Hollow balls, steel (machined) (22)**
- 2745 Nuts, 3mm nylon locking (12)
- 1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
- 1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
- 1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
- 1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
- 7155 Rocker arm post, steel (4)
- 7059 **Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)**
- 2523 Screws, 2.5x10 countersunk machine (hex drive) (6)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 2526 Screws, 2.5x12 countersunk machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)

Page 2 1/16 E-Revo® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 71076-8) Parts List

| | |
|------|---|
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) |
| 3159 | Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 2743 | Set (grub) screws, 3mm hardened (12) |

LED Lights

| | |
|-------|--|
| 6549 | Connector, power tap (with voltage sensor plug)/ wire tie/ 2.6x8 BCS (2) |
| 7185A | LED light kit, 1/16 E-Revo® (includes power supply, front & rear bumpers, light harness (4 clear, 4 red), wire ties) |
| 7186 | LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/ wire ties (3) (requires power supply #7286) |
| 7286A | LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap connector (with cable)/ 2.6x8 BCS (2) |

Motors & Electronics

| | |
|-------|--|
| 2082A | Gear set (for 2080A waterproof micro servo) |
| 2082R | Gear set, metal (for 2080R waterproof micro servo) |
| 2082X | Gear set, metal (for 2080X waterproof micro servo) |
| 3374 | Heat sink, Velineon® 380 brushless motor, aluminum (blue-anodized) |
| 7060 | Motor mount, finned aluminum |
| 3371 | Motor, Velineon® Mini Maxx® 380, brushless (assembled with 16-gauge wire and gold-plated connectors) |
| 3372 | Rebuild kit, Velineon® 380 (4x9x4mm ball bearings (2), 2x6mm CCS (with threadlock) (2), front shims (2)) |
| 3373 | Rotor, Velineon® 380 motor |
| 2081A | Servo case/ gaskets (for 2080A micro waterproof servo) |
| 2081X | Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo) |
| 2080A | Servo, micro, waterproof |
| 2080R | Servo, micro, waterproof, metal gear |
| 3370 | Velineon® VXL-3m Brushless Power System, waterproof (includes waterproof VXL-3m ESC and Velineon® 380 motor) |
| 3375 | VXL-3m Electronic Speed Control, waterproof (brushless) |

Radio System, Batteries & Chargers

| | |
|-------|--|
| 2925X | 1200mAh 7.2V 2/3A 6-cell flat NiMH Battery, Series 1 Power Cell |
| 2823X | 1400mAh 11.1v 3-Cell 25C LiPo Battery |
| 2820X | 2200mAh 7.4v 2-Cell 25C LiPo Battery |
| 2914 | AA 4PK |
| 2976 | AC to DC adapter |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) |
| 2943 | Battery charge indicators, green (4), grey (4), blue (4) |
| 6548 | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) |
| 2974 | Charger, D/C, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification |
| 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification |
| 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification |
| 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 2985 | Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification |
| 2949 | Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) |
| 2978 | Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) |
| 2082A | Gear set (for 2080A waterproof micro servo) |
| 2082R | Gear set, metal (for 2080R waterproof micro servo) |
| 2082X | Gear set, metal (for 2080X waterproof micro servo) |
| 3374 | Heat sink, Velineon® 380 brushless motor, aluminum (blue-anodized) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 2912 | Power adapter, AC, USB-C (45W) (110 volt, North America only) |
| 2916 | Power cable, USB-C, 100W (high output), 5 ft. (1.5m) |
| 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) |
| 6522 | Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4mm GS (1) |
| 6523 | Sensor, temperature and voltage (short) |
| 2081A | Servo case/ gaskets (for 2080A micro waterproof servo) |

| | |
|-------|--|
| 2081X | Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo) |
| 2080A | Servo, micro, waterproof |
| 2080R | Servo, micro, waterproof, metal gear |
| 6540 | Telemetry trigger magnet, 5X2mm (1) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) |
| 6528 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only) |
| 6529 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only) |
| 6530 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas® Link Bluetooth® module |
| 3375 | VXL-3m Electronic Speed Control, waterproof (brushless) |
| 3064X | Wire harness, parallel battery connection (compatible with Traxxas® High Current Connector, NiMH only) |
| 3063X | Wire harness, series battery connection (compatible with Traxxas® High Current Connector, NiMH only) |

Ready-To-Race Model

| | |
|---------|---|
| 71076-8 | E-Revo® VXL: 1/16-Scale 4WD Brushless Monster Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM®) |
|---------|---|

Rear Suspension

| | |
|-------|--|
| 7033X | Aluminum caps, pivot ball (threaded aluminum, hard-anodized, PTFE-coated (8)/ hex wrench, 5mm |
| 7034 | Axle carriers, left & right (2 each) |
| 7023 | Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1) |
| 7029X | Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1) |
| 7028 | Hollow balls (20) |
| 7028X | Hollow balls, steel (machined) (22) |
| 7033 | Pivot balls (4)/ pivot ball caps (4) |
| 7118G | Push rod (molded composite) (green) (4)/ hollow balls (8) |
| 7118 | Push rod (molded composite) (red) (4)/ hollow balls (8) |
| 7118X | Push rods, aluminum (red-anodized) (4) (assembled with rod ends) |
| 7155 | Rocker arm post, steel (4) |
| 7158 | Rocker arm set, progressive-2/ 4x7x2.5mm PB (8) |
| 2523 | Screws, 2.5x10 countersunk machine (hex drive) (6) |
| 7043 | Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4) |
| 7132 | Suspension arm set, rear (includes upper right & left and lower right & left arms) |
| 7132R | Suspension arm set, rear, extended wheelbase (lengthens wheelbase 10mm) (includes upper right & left and lower right & left arms) |
| 7021 | Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4) |
| 7138G | Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8) |
| 7138 | Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8) |
| 7138X | Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts) |

Shock Oil

| | |
|-------|---|
| 5031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) |
| 5032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) |
| 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) |
| 5034 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) |
| 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) |
| 5036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) |
| 5037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) |
| 5029 | Shock oil bottle (60cc) (for mixing shock oil) |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) |
| 5038 | Spinning carousel rack |

Shocks (GTR)

| | |
|-------|---|
| 7066 | Body, GTR shock (molded composite) (2) |
| 7065 | Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2) |
| 7028 | Hollow balls (20) |
| 7062 | Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks) |
| 7063 | Shaft, GTR shock (2) |
| 7063T | Shaft, GTR shock (TiN-coated) (4) |

- 7061 Shocks, GTR composite, 1/16 E-Revo/Slash (assembled, without springs) (2)
7061X Shocks, GTR hard anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (4)

Slipper Clutch Components

- 7152 Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)

Springs

- 7145 Spring, shock (GTR) (1.76 rate, orange) (1 pair)
 7146 Spring, shock (GTR) (1.92 rate, green) (1 pair)
 7147 Spring, shock (GTR) (2.06 rate, tan) (1 pair)
 7148 Spring, shock (GTR) (2.22 rate, black) (1 pair)

Spur Gears & Pinion Gears

- 2416 Gear, 16-T pinion (48-pitch) / set screw
 1918 Gear, 18-T pinion (48-pitch) / set screw
 2419 Gear, 19-T pinion (48-pitch) / set screw
 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
 2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw
 4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft) / set screw
 2431 Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw
 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
 7045R Spur gear, 45-tooth
 7046R Spur gear, 50-tooth
 7047R Spur gear, 55-tooth

Steering Components

- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
 2545 Bushings (plastic) (5x8x2.5mm) (4)
 7043 Steering arm (upper & lower) / steering link / servo horn / servo saver / servo saver spring / servo horn mount / ball stud (2) / shock mounts, front & rear / 2.5x18mm CS (4)
 7138G Toe link, front & rear (molded composite) (green) (4) / hollow balls (8)
 7138 Toe link, front & rear (molded composite) (red) (4) / hollow balls (8)
 7138X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

Suspension Linkage

- 7028 Hollow balls (20)
 7118G Push rod (molded composite) (green) (4) / hollow balls (8)
 7118 Push rod (molded composite) (red) (4) / hollow balls (8)
 7118X Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
 7138G Toe link, front & rear (molded composite) (green) (4) / hollow balls (8)
 7138 Toe link, front & rear (molded composite) (red) (4) / hollow balls (8)
 7138X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

Team Traxxas Items

- 9916 Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
 9917 Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)

Tires & Wheels

- 7174A Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2)
 7175 Tires & wheels, assembled, glued (white dished 2.2" wheels, Response Pro 2.2" tires, foam inserts) (2)
 7173 Tires, Response Pro 2.2" (soft-compound, narrow profile, short knobby design) / foam inserts (2)
 7170 Tires, Talon / foam inserts (2)
 7154 Wheel hubs, hex (4) / axle pins (1.5x8mm) (4)
 7154X Wheel hubs, hex, aluminum (4) (blue-anodized)
 7171 Wheels, dished 2.2" (white) (2)
 7172A Wheels, Gemini (black chrome) (2)

Transmission Components

- 7077R Cover, gear / motor mount hinge post / 3x10mm CS with split and flat washers (1) / 3x8mm BCS (1)
 7014 Differential kit, center (complete for 1/16 E-Revo, 1/16 Slash)
 7093 Gear set, transmission (includes 18T, 25T input gears, 13T idler gear (steel), 35T output gear, M3x13.75 screw pin)
 7091 Gearbox halves, front & rear
 7092 Input shaft / output shaft
 7090 Plate, motor
 7014X Rebuild kit, center differential (1/16 E-Revo/Slash) (includes o-rings and diff gear covers)
 7152 Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)
 7096 Transmission, complete (fits 1/16-scale VXL models)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
 3433 Body reamer (plastic handle)
 3436 Cap, body reamer
 3432 Scissors, curved tip
 3431 Scissors, straight tip
 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
 8720 Speed bit handle, large (overmolded)
 8721 Speed bit handle, medium (one piece)
 8722 Speed bit handle, premium (rubber overmold)
 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench / 4-way wrench / 8mm & 4mm wrench / U-joint wrench)
 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers / 4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers / 2mm, 3mm, and 4mm slotted screwdrivers / #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers / 4mm and 8mm wrenches / driver handle)

Turnbuckles & Threaded Rods

- 7028 Hollow balls (20)
 7118G Push rod (molded composite) (green) (4) / hollow balls (8)
 7118 Push rod (molded composite) (red) (4) / hollow balls (8)
 7118X Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
 7138G Toe link, front & rear (molded composite) (green) (4) / hollow balls (8)
 7138 Toe link, front & rear (molded composite) (red) (4) / hollow balls (8)
 7138X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM