



Ford® Mustang GT (Model 83044-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5105 Ball bearings, blue rubber sealed (6x10x3mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

- 8319 Body bumper, foam
- 1834A Body clips, black (12) (standard size)
- 8315 Body mounts, front & rear (2)**
- 8316 Body mounts, front & rear/ body mount posts/ body mount sliders
- 8317 Body washers, foam
- 8391 Body, Cadillac CTS-V (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, & mounting hardware)**
- 8391A Body, Cadillac CTS-V, blue (painted, decals applied)**
- 8391X Body, Cadillac CTS-V, silver (painted, decals applied)**
- 8386 Body, Chevrolet Corvette Z06 (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, & mounting hardware)**
- 8386X Body, Chevrolet Corvette Z06, blue (painted, decals applied)**
- 8386A Body, Chevrolet Corvette Z06, graphite (painted, decals applied)**
- 8386R Body, Chevrolet Corvette Z06, red (painted, decals applied)**
- 8311 Body, Ford GT® (clear, requires painting)/ decal sheet (includes tail lights, exhaust tips, & mounting hardware)**
- 8311X Body, Ford GT®, black (painted, decals applied) (tail lights, exhaust tips, & mounting hardware (part #8314) sold separately)**
- 8311A Body, Ford GT®, blue (painted, decals applied) (tail lights, exhaust tips, & mounting hardware (part #8314) sold separately)**
- 8311R Body, Ford GT®, red (painted, decals applied) (tail lights, exhaust tips, & mounting hardware (part #8314) sold separately)**
- 8312 Body, Ford Mustang (clear, requires painting)/ window masks/ decal sheet**
- 8312X Body, Ford Mustang, black (painted, decals applied)
- 8312A Body, Ford Mustang, Grabber Blue (painted, decals applied)
- 8312T Body, Ford Mustang, orange (painted, decals applied)
- 8336 Bumper, rear (1)/ rear body mount (1)
- 8393 Decal sheet, Cadillac CTS-V**
- 8387 Decal sheets, Chevrolet Corvette Z06**
- 8392 Mirrors, side, black (left & right)/ mirror retainers (2)/ body clips (4)/ o-rings (4)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3) (fits #8391 body)**
- 8388 Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3)/ 2.6x8 BCS (self-tapping) (2) (fits #8386 body)**
- 8314 Tail lights (2)/ tail light mounts (4) / exhaust tips (2)/ exhaust tip mount (1)/ 3x10 flat-head screws (2)/ 3x8 BCS (2)**

Brake Components

- 8367 Brake calipers (red), front (2)/ rear (2)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

Center Driveline

- 8381 Housing, differential (front)
- 8380 Housing, differential (rear)

Chassis & Attachments

- 8327 Battery hold-down/ battery clip/ hold-down post/ screw pin/ pivot post screw (for 256mm wheelbase)
- 8319 Body bumper, foam
- 8324 Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
- 8335 Bumper, front (1 each, upper & lower)
- 8336 Bumper, rear (1)/ rear body mount (1)
- 8322 Chassis
- 8321 Chassis brace (front)
- 8323 Gear cover (rear chassis brace)/ wire retainer

Differential Components

- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 5136X Differential oil kit (50cc of 1 each: 10K, 30K, 50K weights)**
- 8381 Housing, differential (front)
- 8380 Housing, differential (rear)
- 8379 Housing, spool / spool shaft/ bushing

- 6879R Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
- 6879 Ring gear, differential/ pinion gear, differential (rear)

Driveline Components

- 8353X Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2)**
- 8353 Drive cups, inner (2)/ screw pins (2)
- 8355X Driveshaft, center, aluminum (blue-anodized)**
- 8355G Driveshaft, center, aluminum (green-anodized)**
- 8355R Driveshaft, center, aluminum (red-anodized)**
- 8355 Driveshaft, center, aluminum/ pin
- 8350 Driveshaft, front (2)
- 8351 Driveshaft, rear (2)
- 8350X Driveshafts, steel constant-velocity (assembled), front (2)**
- 8351X Driveshafts, steel constant-velocity (assembled), rear (2)**
- 8382 O-rings (12)
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

Front Suspension & Steering

- 8330 Bulkhead, front
- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
- 8332 Caster blocks (c-hubs) (2)/ kingpin bushings (4)
- 8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
- 8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 8334G Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 8334R Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 8338 Shock towers, front & rear
- 8343 Steering bellcranks/ hardware
- 8337 Steering block (2)
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8333 Suspension arms, front (left & right)
- 8340 Suspension pin set, complete (front & rear)
- 8398 Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)**
- 8342 Toe links, steel (34mm) (2)
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

Hardware

- 1834A Body clips, black (12) (standard size)
- 8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2587 Screws, 3x10mm cap-head machine (6) (no washer)
- 2551 Screws, 3x10mm countersunk machine (6) (hex drive)
- 4859 Screws, 3x10mm flat-head machine (hex drive) (4)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2593 Screws, 3x14mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2553 Screws, 3x15mm countersunk machine (6) (hex drive)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

Motors & Electronics

2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2072A	Gear set (for 2070, 2075 servos)
3354R	Motor cover, endbell (Velineon® 3500)
3785	Motor, Titan® 12T (12-Turn, 550 size)
8390	Plate, motor
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2842X	5000mAh 7.4v 2-Cell 25C LiPo iD® Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo iD® Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo iD® Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2943	Battery charge indicators (green (4), blue (4), gray (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2923X	Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V)
2983	Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas Link™ Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6560	Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof

2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

83044-4	Ford® Mustang GT: 1/10 Scale AWD Muscle Car with TQ™ 2.4GHz radio system
---------	--

Rear Suspension

8329	Bulkhead, rear
8352	Carriers, stub axle (left & right)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
8338	Shock towers, front & rear
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8331	Suspension arms, rear (left & right)
8340	Suspension pin set, complete (front & rear)
8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (Pro-level Aluminum)

2658	Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
8361	Shock caps (black) (4) (assembled with hollow balls)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
4261T	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2)
4262T	Shock shafts, hardened steel, titanium nitride coated (32mm) (2)
4261	Shock shafts, steel, chrome finish (29mm) (front) (2)
4262	Shock shafts, steel, chrome finish (32mm) (2)

Page 3 Ford® Mustang GT: TQ™ 2.4 GHz Radio (Model 83044-4) Parts List

- 1765 Silicone diaphragms (4)
2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

Shocks (Ultra Shocks)

- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
8361 Shock caps (black) (4) (assembled with hollow balls)
8362X Spring, shock (blue) (3.7 rate) (2)
8362G Spring, shock (green) (3.7 rate) (2)
8362P Spring, shock (pink) (3.7 rate) (2)
8366 Spring, shock (red) (2.8 rate, white stripe) (2)
8365 Spring, shock (red) (3.325 rate, orange stripe) (2)
8362 Spring, shock (red) (3.7 rate) (2)
8363 Spring, shock (red) (4.075 rate, green stripe) (2)
8364 Spring, shock (red) (4.4 rate, black stripe) (2)
8360 Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2)

Spur Gears & Pinion Gears

- 2728 Ball bearings (5x8x2.5mm) (2)
8323 Gear cover (rear chassis brace)/ wire retainer
2419 Gear, 19-T pinion (48-pitch) / set screw
2421 Gear, 21-T pinion (48-pitch) / set screw
2422 Gear, 22-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2424 Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4725 Gear, pinion (25-tooth) (48-pitch) / set screw
4728 Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft)/ set screw
8359 Spur gear, 62-tooth
8357 Spur gear, 70-tooth

Steering Components

- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344 Servo saver/ servo saver spring/ servo horn, steering
8343 Steering bellcranks/ hardware
8342 Toe links, steel (34mm) (2)

Suspension Linkage

- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Team Traxxas Items

- 2514 Decal sheet, racing sponsors
9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

- 8375 Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires, foam inserts) (front (2), rear (extra wide) (2)) (VXL rated)
8378 Tires and wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Drift tires) (front and rear)
8373 Tires and wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires) (front) (2)
8374 Tires and wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires) (extra wide, rear) (2)
8376G Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (front)
8377G Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (rear)
8374G Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) (extra wide, rear) (2) (VXL rated)
8373G Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) (front) (2) (VXL rated)
8376A Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (front)
8377A Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (rear)
8374A Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) (extra wide, rear) (2) (VXL rated)

- 8373A Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) (front) (2) (VXL rated)
8370 Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fits #8372 wide wheel)
8369 Tires, Response 1.9" Touring (front) (2)/ foam inserts (2)
8371 Wheels, 1.9" split-spoke (black chrome) (front) (2)
8372 Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721 Speed bit handle, medium (one piece)
8720 Speed bit handle, premium, large (rubber overmold)
8722 Speed bit handle, premium, medium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle)

Turnbuckles & Threaded Rods

- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8342 Toe links, steel (34mm) (2)
8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM